



SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Page 1/10

Baby Powder Grooming Shampoo

Revision 18

Revision date 2022-11-23

	Revision date 2022-11-23	
SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	Baby Powder Grooming Shampoo	
Product code	QAFS515	
1.2. Relevant identified uses of t	he substance or mixture and uses advised against	
Product Use	[SU21] Consumer uses: Private households (= general public = consumers);	
	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen);	
Description	Pet Grooming Shampoo. Baby Powder shampoo is enriched with Aloe Vera. Suitable for use on animals with delicate skin. Extra mild for frequesnt use.	
1.3. Details of the supplier of the safety data sheet		
Company	Superfine Manufacturing Ltd	
Address	Orchardbank Industrial Estate	
	Forfar	

Angus Scotland DD8 1TD

Web www.superfine.co.uk
Telephone Tel: 01307 463538
Fax Fax: 01307 468505
Email address of the competent person www.superfine.co.uk

1.4. Emergency telephone number

Emergency telephone number 01307 463538 8.30am to 17.00pm

For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice)

If you are a healthcare professional with an enquiry please visit www.TOXBASE.org

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC Eye Irrit. 2: H319; **1272/2008**

2.2. Label elements

Revision 18 Revision date 2022-11-23

2.2. Label elements

Hazard pictograms	
Signal Word	Warning
Hazard Statement	Eye Irrit. 2: H319 - Causes serious eye irritation.
Precautionary Statement: Prevention	P102 - Keep out of reach of children.
Precautionary Statement: Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.
SUPPLEMENTAL HAZARD INFORMATION	INCI Name of Ingredients - Aqua, Sodium Laureth Sulfate, Cocamidopropyl Betaine, Cocamide DEA, Glycol Cetearate, Cocamine Oxide, Polyquaternium 39, Aloe Barbadensis Leaf, Citric Acid, Sodium Benzoate, Potassium Sorbate, PhenoxyEthanol, Butyl Parabens, Methyl Parabens, Ethyl Parabens, Propyl Parabens, Citric Acid, CI 45100, Parfum, Citronellol, Alpha Iso Methyl Ionone, Coumarin, Linalool, Hexyl Cinnamal. Contains - Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides, Alcohols, C12-14, ethoxylated, sulfates, sodium salts.
2.3. Other hazards	
Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The substance/mixture does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Further information

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Amines, C12-14 (even numbered) -alkyldimethyl, N-oxides		308062-28-4	931-292-6	01-2119490061-47		Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Acute 1: H400; Aquatic Chronic 2: H411;
Alcohols, C12-14, ethoxylated, sulfates, sodium salts		68891-38-3	500-234-8	01-2119488639-16	1 - 10%	Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Chronic 3: H412;

RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides (CAS No. 308062-28-4) - M Factor (Acute) = 1.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.
Eye contact	Causes serious eye irritation.
Skin contact	May cause irritation to skin.

Revision 18 Revision date 2022-11-23

4.2. Most important symptoms a	nd effects, both acute and delayed
Ingestion	May cause irritation to mucous membranes.
4.3. Indication of any immediate	medical attention and special treatment needed
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention
Skin contact	if irritation or symptoms persist. Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting mea	
5.1. Extinguishing media	
- Languishing modia	This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.
5.2. Special hazards arising from	
Special Hazardo arioling from	None known.
5.3. Advice for firefighters	THORE KNOWN.
olo. / tavico ist inongritoro	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
Further information	tumout gear.
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental relea	ase measures
	ctive equipment and emergency procedures
	ctive equipment and emergency procedures
6.1. Personal precautions, prote	ctive equipment and emergency procedures
6.1. Personal precautions, prote	ctive equipment and emergency procedures Wear suitable protective equipment. Advise local authorities if large spills cannot be contained.
6.1. Personal precautions, prote 6.2. Environmental precautions	ctive equipment and emergency procedures Wear suitable protective equipment. Advise local authorities if large spills cannot be contained.
6.1. Personal precautions, prote 6.2. Environmental precautions	Ctive equipment and emergency procedures Wear suitable protective equipment. Advise local authorities if large spills cannot be contained. Intainment and cleaning up For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water.
6.1. Personal precautions, prote 6.2. Environmental precautions 6.3. Methods and material for co	Ctive equipment and emergency procedures Wear suitable protective equipment. Advise local authorities if large spills cannot be contained. Intainment and cleaning up For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water.
6.1. Personal precautions, prote 6.2. Environmental precautions 6.3. Methods and material for co	Ctive equipment and emergency procedures Wear suitable protective equipment. Advise local authorities if large spills cannot be contained. Intainment and cleaning up For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water. See section 2, 7, 8, 13 for further information.
6.1. Personal precautions, prote 6.2. Environmental precautions 6.3. Methods and material for co	Citive equipment and emergency procedures Wear suitable protective equipment. Advise local authorities if large spills cannot be contained. Intainment and cleaning up For large spills: Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills: Flush down the drain with plenty of water. See section 2, 7, 8, 13 for further information.
6.1. Personal precautions, prote 6.2. Environmental precautions 6.3. Methods and material for co	Citive equipment and emergency procedures Wear suitable protective equipment. Advise local authorities if large spills cannot be contained. Intainment and cleaning up For large spills: Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills: Flush down the drain with plenty of water. See section 2, 7, 8, 13 for further information.
6.1. Personal precautions, prote 6.2. Environmental precautions 6.3. Methods and material for co	Citive equipment and emergency procedures Wear suitable protective equipment. Advise local authorities if large spills cannot be contained. Intainment and cleaning up For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water. See section 2, 7, 8, 13 for further information. Itorage 9 Adopt best Manual Handling considerations when handling, carrying and dispensing.
6.1. Personal precautions, prote 6.2. Environmental precautions 6.3. Methods and material for co 6.4. Reference to other sections SECTION 7: Handling and st 7.1. Precautions for safe handling	Citive equipment and emergency procedures Wear suitable protective equipment. Advise local authorities if large spills cannot be contained. Intainment and cleaning up For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water. See section 2, 7, 8, 13 for further information. Itorage 9 Adopt best Manual Handling considerations when handling, carrying and dispensing.
6.1. Personal precautions, prote 6.2. Environmental precautions 6.3. Methods and material for co 6.4. Reference to other sections SECTION 7: Handling and st 7.1. Precautions for safe handling	Citive equipment and emergency procedures Wear suitable protective equipment. Advise local authorities if large spills cannot be contained. Intainment and cleaning up For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water. See section 2, 7, 8, 13 for further information. Itorage g Adopt best Manual Handling considerations when handling, carrying and dispensing. including any incompatibilities Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in
6.1. Personal precautions, prote 6.2. Environmental precautions 6.3. Methods and material for co 6.4. Reference to other sections SECTION 7: Handling and si 7.1. Precautions for safe handlin 7.2. Conditions for safe storage,	Citive equipment and emergency procedures Wear suitable protective equipment. Advise local authorities if large spills cannot be contained. Intainment and cleaning up For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water. See section 2, 7, 8, 13 for further information. Itorage g Adopt best Manual Handling considerations when handling, carrying and dispensing. including any incompatibilities Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in
6.1. Personal precautions, prote 6.2. Environmental precautions 6.3. Methods and material for co 6.4. Reference to other sections SECTION 7: Handling and si 7.1. Precautions for safe handlin 7.2. Conditions for safe storage,	Citive equipment and emergency procedures Wear suitable protective equipment. Advise local authorities if large spills cannot be contained. Intainment and cleaning up For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water. See section 2, 7, 8, 13 for further information. Itorage 9 Adopt best Manual Handling considerations when handling, carrying and dispensing. Including any incompatibilities Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.
6.1. Personal precautions, prote 6.2. Environmental precautions 6.3. Methods and material for co 6.4. Reference to other sections SECTION 7: Handling and st 7.1. Precautions for safe handlin 7.2. Conditions for safe storage, 7.3. Specific end use(s)	Citive equipment and emergency procedures Wear suitable protective equipment. Advise local authorities if large spills cannot be contained. Intainment and cleaning up For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water. See section 2, 7, 8, 13 for further information. Itorage 9 Adopt best Manual Handling considerations when handling, carrying and dispensing. Including any incompatibilities Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.

Revision 18 Revision date 2022-11-23

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure controls.

8.1.1. Exposure Limit Values

1-	WEL 8-hr limit ppm: 50	WEL 8-hr limit mg/m3: 308
(3-Methoxypropoxy)propan-1-ol ((2-methoxymethylethoxy) propanol)		·
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	WEL 8-hr limit ppm: N/A	WEL 8-hr limit mg/m3:
	WEL 15 min limit ppm:	WEL 15 min limit mg/m3:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:
Amides, C8-C18(even numbered) and C18(Unsaturated),	WEL 8-hr limit ppm: N/A	WEL 8-hr limit mg/m3:
N,N-Bis(Hydroxyethyl)	WEL 15 min limit ppm:	WEL 15 min limit mg/m3:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	WEL 8-hr limit ppm: N/A	WEL 8-hr limit mg/m3:
	WEL 15 min limit ppm:	WEL 15 min limit mg/m3:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:
sodium hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

		Daritoral	fft	امييما
I)NH	•	I)erived	no-effect	level

Exposure Pattern - Workers

Revision 18 Revision date 2022-11-23

Exposure Pattern - Workers

1-	Long-term - inhalation - Systemic	
(3-Methoxypropoxy)propan-1-ol	effects	
	Long-term - dermal - Systemic	283 mg/kg
	effects	
Alcohols, C12-14, ethoxylated,	Long-term - inhalation - Systemic	175 mg/m³
sulfates, sodium salts	effects	
	Long-term - dermal - Systemic	2750 mg/kg
	effects	
Amides, C8-C18(even	Long-term - inhalation - Systemic	73.4 mg/m³
numbered) and	effects	
C18(Unsaturated),		
N,N-Bis(Hydroxyethyl)		
	Long-term - dermal - Systemic	4.16 <none></none>
	effects	
Amines, C12-14 (even	Long-term - inhalation - Systemic	6.2 mg/m³
numbered)-alkyldimethyl,	effects	
N-oxides		
	Long-term - dermal - Systemic	11 mg/kg
	effects	
sodium hydroxide	Acute inhalation - Local effects	s 2 mg/m³
	Acute dermal - Local effects	2 mg/kg Long-term - inhalation - Local 1 mg/m³
		effects

Exposure Pattern - General population

1-	Long-term - inhalation - Systemic	37.2 mg/m³	
(3-Methoxypropoxy)propan-1-ol	effects		
	Long-term - dermal - Systemic	121 mg/kg	Long-term - oral - Systemic effects 36 mg/kg
	effects		
Alcohols, C12-14, ethoxylated,	Long-term - inhalation - Systemic	52 mg/m³	
sulfates, sodium salts	effects		
	Long-term - dermal - Systemic	1650 mg/kg	Long-term - oral - Systemic effects 15 mg/kg
	effects		
Amides, C8-C18(even	Long-term - inhalation - Systemic	21.73 mg/m ³	
numbered) and	effects		
C18(Unsaturated),			
N,N-Bis(Hydroxyethyl)			
	Long-term - oral - Systemic	6.25 mg/kg	
	effects		
Amines, C12-14 (even	Long-term - inhalation - Systemic	1.53 mg/m³	
numbered)-alkyldimethyl,	effects		
N-oxides			
	Long-term - dermal - Systemic	5.5 mg/kg	Long-term - oral - Systemic effects 0.44 mg/kg
	effects		
sodium hydroxide	Long-term - inhalation - Local	1 mg/m³	
	effects		

8.2. Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Revision 18 Revision date 2022-11-23

8.2. Exposure controls

Eye / face protection	Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.
Skin protection -	Rubber gloves.
Handprotection	
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation
	wear suitable respiratory equipment.
8.2.3. Environmental exposu	Prevent further leakage or spillage if safe to do so.
controls	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

_	
Appearance	Liquid
Colour	PINK
Odour	Pleasant
Odour threshold	No data available
pH	5.5 - 7.8
Melting point	No data available
Initial boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Relative Vapour Density	No data available
Density / Relative Density	1.015 - 1.03
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 6000 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	Not applicable.
Lead content	Not applicable.
VOC (Volatile organic	Not applicable.
compounds)	

9.2.1. Information with regard to physical hazard classes

No data is available on this product.

9.2.2. Other safety characteristics

No data is available on this product.

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Revision 18 Revision date 2022-11-23

10.3. Possibility of hazardous reactions		
	Strong acids. Strong oxidising agents.	
10.4. Conditions to avoid		
	Protect from frost.	
10.5. Incompatible materials		
	No incompatible groups noted.	
10.6. Hazardous decomposition products		
	No Hazardous decomposition products when stored and handled correctly.	
SECTION 11: Toxicological information		

11.1 Information on hazard classes

	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).
Acute toxicity	based on available data the classification criteria are not met. Oral ATE = >10,000 mg/kg.
Skin corrosion/irritation	Eye Irrit. 2: H319 - Causes serious eye irritation.
Serious eye damage/irritation	based on available data the classification criteria are not met.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
Repeated or prolonged	based on available data the classification criteria are not met.
exposure	
11.1.2. Mixtures	
	No data available.
11.1.3. Hazard Information	

11.1.3. Hazard Information

No data available.

11.1.4. Toxicological Information

1-	Oral Rat LD50: 5000.0	Dermal Rabbit LD50: 9510.0
(3-Methoxypropoxy)propan-1-ol		
	Inhalation Rat LC50/4 h: 3.35	
Alcohols, C12-14, ethoxylated,	Dermal Rat LD50: > 2000 mg/kg	Oral Rat LD50: 2870 mg/kg
sulfates, sodium salts		
Amides, C8-C18(even	Oral Rat LD50: > 2000 mg/kg	Dermal Rabbit LD50: > 2000 mg/kg
numbered) and		
C18(Unsaturated),		
N,N-Bis(Hydroxyethyl)		
Amines, C12-14 (even	Dermal Rat LD50: > 2000 mg/kg	Oral Rat LD50: 1064 mg/kg
numbered)-alkyldimethyl,		
N-oxides		
sodium hydroxide	Oral Rat LD50: >500 mg/kg	

11.2 Information on other hazards

No data is available on this product.

SECTION 12: Ecological information

Revision 18 Revision date 2022-11-23

12.1. Toxicity

12.1. Toxicity		
1- (3-Methoxypropoxy)propan-1-ol	Daphnia EC50/48h: 1919.0000 mg	r/l Fish LC50/96h: 10000.0000 mg/
,	Algae EC50/72h : 6999	
	NOEC / EC10 for marine or 0.5 mg/l freshwater organisms	
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Daphnia EC50/48h: 7.4000 mg/l	Fish LC50/96h: 7.1000 mg/l
diato, codidii callo	Algae EC50/72h: 27.7 mg/l	
Amides, C8-C18(even numbered) and C18(Unsaturated), N,N-Bis(Hydroxyethyl)	Daphnia EC50/48h: 3.2000 mg/l	Algae IC50/72h: 3.9000 mg/l
Andrea 040 44 (Fish LC50/96h: 2.4000 mg/l	Algae EC50/72h: 18.6 mg/l
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	Daphnia EC50/48h: 3.1000 mg/l	Fish LC50/96h: 2.6700 mg/l
	Algae EC50/72h: 0.146 mg/l	
sodium hydroxide	Daphnia EC50/48h: 40.4 mg/l	Fish LC50/96h: 33.0000 mg/l
	Rainbow trout LC50/96h: 45.5 mg/l	Bluegill sunfish LC50/96h: 125 mg/l
2.2. Persistence and degradat	oility	
	Substance biodegrades at a moderate rate a guide lines.	and inherently biodegradable according to the OECD
12.3. Bioaccumulative potential		
	The product is not bioaccumulating.	
Partition coefficient		
	Baby Powder Grooming No data availate Shampoo Alcohols, C12-14, ethoxylated, 0.3 Log Pow sulfates, sodium salts sodium hydroxide No data availate	and C18(Unsaturated), N,N-Bis(Hydroxyethyl) 1-(3-Methoxypropoxy)propan-1-ol 1.01
2.4. Mobility in soil	T =	
	This product is soluble in water.	
2.5. Results of PBT and vPvB		
O C Frade arine diamentina a research	This substance/mixture is not classified as P	'BT or VPVB according to current criteria.
2.6 Endocrine disrupting prope	No data is available on this product.	
12.7. Other adverse effects	No data is available of this product.	
Z.7. Other adverse effects	No data is available on this product.	
SECTION 12: Diamond cons		
SECTION 13: Disposal cons		
3.1. Waste treatment methods	Dispose of waste and residues in accordance	e with local authority requirements
Seneral information	Dispose of waste and residues in accordance	e with local authority requirements.
	Dispose of in compliance with all local and no	ational requirements.
Disposal of packaging	1	
,	Do NOT reuse empty containers. Empty con compliance with local and national regulation	ntainers can be sent to landfill after cleaning, if in
	1 - Compilation man local and mational regulation	

Revision 18 Revision date 2022-11-23

SECTION 14: Transport information 14.1. UN number The product is not classified as dangerous for carriage. 14.2. UN proper shipping name The product is not classified as dangerous for carriage. 14.3. Transport hazard class(es) The product is not classified as dangerous for carriage. 14.4. Packing group The product is not classified as dangerous for carriage. 14.5. Environmental hazards The product is not classified as dangerous for carriage. 14.6. Special precautions for user The product is not classified as dangerous for carriage. 14.7 Maritime Transport in bulk according to IMO instruments

The product is not classified as dangerous for carriage.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

Other information

Revision

This document differs from the previous version in the following areas:.

- 2 Other hazards.
- 2 Further information.
- 2 SUPPLEMENTAL HAZARD INFORMATION.
- 3 3.2. Mixtures.
- 9 9.2.2. Other safety characteristics.
- 9 9.2.1. Information with regard to physical hazard classes.
- 11 Acute toxicity.
- 11 11.2 Information on other hazards.
- 12 12.1. Toxicity.

Revision 18 Revision date 2022-11-23

Other information		
	12 - 12.6 Endocrine disrupting properties. 12 - 12.7. Other adverse effects. 15 - Regulations.	
Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008, as retained and amended in UK law. Eye Irrit. 2: H319 - Causes serious eye irritation Calculation Method.	
Text of Hazard Statements in Section 3	Acute Tox. 4: H302 - Harmful if swallowed. Skin Irrit. 2: H315 - Causes skin irritation. Eye Dam. 1: H318 - Causes serious eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.	
Further information		
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.	