



SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Page 1/9

Deodorising Grapefruit & Lemon Grooming Shampoo

Revision 18

	Revision date 2022-11-23
SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Deodorising Grapefruit & Lemon Grooming Shampoo
Product code	qafs398
1.2. Relevant identified uses of t	the substance or mixture and uses advised against
Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen);
	[SU21] Consumer uses: Private households (= general public = consumers);
Description	Pet Grooming Shampoo. Specially formulated and enriched with natural essential oils Grapefruit and Lemon to thoroughly cleanse and neutralise any mal-odours in the coat., Suitable for all coats, extra mild for frequent use.
1.3. Details of the supplier of the	e safety data sheet
Company	Superfine Manufacturing Ltd
Address	Orchardbank Industrial Estate
	Forfar
	Angus Scotland
	DD8 1TD
Web	www.superfine.co.uk
Telephone	Tel: 01307 463538
Fax	Fax: 01307 468505
Email address of the competent person	nigel@superfine.co.uk
1.4. Emergency telephone numb	per
Emergency telephone number	01307 463538
	8.30am to 17.00pm
	For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice)
	If you are a healthcare professional with an enquiry please visit www.TOXBASE.org

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC	EUH208; Eye Irrit. 2: H319; Aquatic Chronic 3: H412;
1272/2008	

2.2. Label elements

Revision 18

Revision date 2022-11-23

2.2. Label elements

Hazard pictograms	
Signal Word	Warning
Hazard Statement	EUH208 - Contains limonene, beta pinene, alpha pinene. May produce an allergic reaction. Eye Irrit. 2: H319 - Causes serious eye irritation. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statement: Prevention	P102 - Keep out of reach of children.
Precautionary Statement: Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.
SUPPLEMENTAL HAZARD INFORMATION	INCI Name of Ingredients - Aqua, Sodium Laureth Sulfate, Cocamidopropyl Betaine, Cocamide DEA, Glycol Cetearate, Polyquaternium 39, Anthemis Nobilis, Acrylates Copolymer, PhenoxyEthanol, Butyl Parabens, Methyl Parabens, Ethyl Parabens, Propyl Parabens, Citric Acid, CI 19140, Parfum, Limonene, Citral. Contains - Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Limonene.
2.3. Other hazards	
Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The substance/mixture does not contain substances with endocrine disrupting properties.
Further information	
	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
D-Limonene	601-029-00-7	5989-27-5	227-813-5		0.5 - 1%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
Alcohols, C12-14, ethoxylated, sulfates, sodium salts		68891-38-3	500-234-8	01-2119488639-16	1 - 10%	Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Chronic 3: H412;

D-Limonene, CAS No. 5989-27-5 - M Factor (Acute/Chronic) = 1.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.
Eye contact	Causes serious eye irritation.
Skin contact	May cause irritation to skin.

Revision 18

	Revision date 2022-11-23
	and effects, both acute and delayed
Ingestion	May cause irritation to mucous membranes.
4.3. Indication of any immediate	te medical attention and special treatment needed
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting m	easures
5.1. Extinguishing media	
	This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.
5.2. Special hazards arising fro	om the substance or mixture
	None known.
5.3. Advice for firefighters	
	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental rele	ease measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
	Wear suitable protective equipment.
6.2. Environmental precautions	S
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material for	containment and cleaning up
	For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water.
6.4. Reference to other section	ns
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling and	storage
7.1. Precautions for safe hand	ling
	Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage	e, including any incompatibilities
	Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.
7.3. Specific end use(s)	
	Pet Grooming Shampoo.
Suitable packaging	-
Suitable packaging	Plastic containers.

Revision 18

Revision date 2022-11-23

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure controls.

8.1.1. Exposure Limit Values

o. i. i. Exposure Limit values		
2,6,6-Trimethylbicyclo[3.1.1]hept -2-ene (Alpha-Pinene)	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 140
,	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 300
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:
6,6-Dimethyl-2-methylenebicyclo [3.1.1]heptane	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 140
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 300
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	WEL 8-hr limit ppm: N/A	WEL 8-hr limit mg/m3:
	WEL 15 min limit ppm:	WEL 15 min limit mg/m3:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:
Amides, C8-C18(even	WEL 8-hr limit ppm: N/A	WEL 8-hr limit mg/m3:
numbered) and		
C18(Unsaturated), N,N-Bis(Hydroxyethyl)		
IN,IN-DIS(ITIYUIOXYƏLIIYI)	WEL 15 min limit ppm:	WEL 15 min limit mg/m3:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:
sodium hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived	no-effect	level.
---------------	-----------	--------

Exposure Pattern - Workers

Revision 18

Revision date 2022-11-23

Exposure Pattern - Workers

2,6,6-Trimethylbicyclo[3.1.1]hept	Long-term - inhalation - Systemic	5.98 mg/m³	
-2-ene	effects		
Alcohols, C12-14, ethoxylated,	Long-term - inhalation - Systemic	175 mg/m³	
sulfates, sodium salts	effects		
	Long-term - dermal - Systemic	2750 mg/kg	
	effects		
Amides, C8-C18(even	Long-term - inhalation - Systemic	73.4 mg/m³	
numbered) and	effects		
C18(Unsaturated),			
N,N-Bis(Hydroxyethyl)			
	Long-term - dermal - Systemic	4.16 <none></none>	
	effects		
sodium hydroxide	Acute inhalation - Local effects	2 mg/m³	
	Acute dermal - Local effects	2 mg/kg	Long-term - inhalation - Local 1 mg/m³
			effects

Exposure Pattern - General population

2,6,6-Trimethylbicyclo[3.1.1]hept	Long-term - inhalation - Systemic	: 1.06 mg/m³
-2-ene	effects	8
	Long-term - oral - Systemic	: 0.31 mg/kg
	effects	S
Alcohols, C12-14, ethoxylated,	Long-term - inhalation - Systemic	52 mg/m³
sulfates, sodium salts	effects	S
	Long-term - dermal - Systemic	tong-term - oral - Systemic effects 15 mg/kg
	effects	S
Amides, C8-C18(even	Long-term - inhalation - Systemic	21.73 mg/m³
numbered) and	effects	S
C18(Unsaturated),		
N,N-Bis(Hydroxyethyl)		
	Long-term - oral - Systemic	: 6.25 mg/kg
	effects	S
sodium hydroxide	Long-term - inhalation - Local	1 mg/m³
	effects	S

8.2. Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.

Eye / face protection Skin protection -

Rubber gloves.

Handprotection Respiratory protection

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

8.2.3. Environmental exposure controls

Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Revision 18

Revision date 2022-11-23

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Yellow
Odour	Lemon/Pleasant
Odour threshold	No data available
pH	5 - 7.5
Melting point	No data available
Initial boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Relative Vapour Density	No data available
Density / Relative Density	1.021 - 1.028
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 5000 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	Not applicable.
Lead content	Not applicable.
VOC (Volatile organic	Not applicable.
compounds)	

9.2.1. Information with regard to physical hazard classes

No data is available on this product.

9.2.2. Other safety characteristics

No data is available on this product.

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Strong acids. Strong oxidising agents.

10.4. Conditions to avoid

Protect from frost.

10.5. Incompatible materials

No incompatible groups noted.

10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly.

Revision 18 Revision date 2022-11-23

SECTION 11: Toxicological information

11.1 Information on hazard classes

	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).
Acute toxicity	based on available data the classification criteria are not met. Oral ATE = >10,000 mg/kg.
Skin corrosion/irritation	based on available data the classification criteria are not met.
Serious eye damage/irritation	Eye Irrit. 2: H319 - Causes serious eye irritation.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
Repeated or prolonged	based on available data the classification criteria are not met.
exposure	
11.1.2. Mixtures	

No data available.

11.1.3. Hazard Information

No data available.

11.1.4. Toxicological Information

2,6,6-Trimethylbicyclo[3.1.1]hept -2-ene	Oral Rat LD50: 3500 mg/kg	
6,6-Dimethyl-2-methylenebicyclo [3.1.1]heptane	Dermal Rat LD50: 133848.9mg/kg	Oral Rat LD50: 37287.23mg/kg
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Dermal Rat LD50: > 2000 mg/kg	Oral Rat LD50: 2870 mg/kg
Amides, C8-C18(even numbered) and C18(Unsaturated), N,N-Bis(Hydroxyethyl)	Oral Rat LD50: > 2000 mg/kg	Dermal Rabbit LD50: > 2000 mg/kg
sodium hydroxide	Oral Rat LD50: >500 mg/kg	

11.2 Information on other hazards

No data is available on this product.

SECTION 12: Ecological information

12.1. Toxicity

Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Daphnia EC50/48h: 7.4000 mg/l	Fish LC50/96h: 7.1000 mg/l		
	Algae EC50/72h: 27.7 mg/l			
Amides, C8-C18(even numbered) and C18(Unsaturated), N,N-Bis(Hydroxyethyl)	Daphnia EC50/48h: 3.2000 mg/l	Algae IC50/72h: 3.9000 mg/l		
	Fish LC50/96h: 2.4000 mg/l	Algae EC50/72h: 18.6 mg/l		
sodium hydroxide	Daphnia EC50/48h: 40.4 mg/l	Fish LC50/96h: 33.0000 mg/l		
	Rainbow trout LC50/96h: 45.5 mg/l	Bluegill sunfish LC50/96h: 125 mg/l		

12.2. Persistence and degradability

Revision 18

	Revision date 2022-11-23				
12.2. Persistence and degradab	ility				
	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.				
12.3. Bioaccumulative potential					
	The product is not bioaccumulating.				
Partition coefficient					
	Deodorising Grapefruit & Lemon No data available Amides, C8-C18(even numbered) 3.75 Log Pow Grooming Shampoo and C18(Unsaturated), N,N-Bis(Hydroxyethyl)				
	Alcohols, C12-14, ethoxylated, 0.3 Log Pow sodium hydroxide No data available sulfates, sodium salts				
12.4. Mobility in soil					
	This product is soluble in water.				
12.5. Results of PBT and vPvB	assessment				
	This substance/mixture is not classified as PBT or vPvB according to current criteria.				
12.6 Endocrine disrupting prope	erties				
	No data is available on this product.				
12.7. Other adverse effects	·				
	No data is available on this product.				
SECTION 13: Disposal cons	siderations				
13.1. Waste treatment methods					
Tom waste a camone mountain	Dispose of waste and residues in accordance with local authority requirements.				
General information					
	Dispose of in compliance with all local and national requirements.				
Disposal of packaging					
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in				
	compliance with local and national regulations.				
SECTION 14: Transport info	rmation				
14.1. UN number					
	The product is not classified as dangerous for carriage.				
14.2. UN proper shipping name	·				
	The product is not classified as dangerous for carriage.				
14.3. Transport hazard class(es)				
	The product is not classified as dangerous for carriage.				
14.4. Packing group					
	The product is not classified as dangerous for carriage.				
14.5. Environmental hazards	·				
	The product is not classified as dangerous for carriage.				
14.6. Special precautions for us	er				
	The product is not classified as dangerous for carriage.				
14.7 Maritime Transport in bulk	according to IMO instruments				
	The product is not classified as dangerous for carriage.				
	•				

18

Deodorising Grapefruit & Lemon Grooming Shampoo

Revision

Revision date 2022-11-23

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Other information

_					 	_
F	₹e	vis	io	n		

This document differs from the previous version in the following areas:.

- 2 Other hazards.
- 2 Further information.
- 2 SUPPLEMENTAL HAZARD INFORMATION.
- 3 3.2. Mixtures.
- 9 9.2.2. Other safety characteristics.
- 9 9.2.1. Information with regard to physical hazard classes.
- 11 11.2 Information on other hazards.
- 12 12.1. Toxicity.
- 12 12.6 Endocrine disrupting properties.
- 12 12.7. Other adverse effects.
- 15 Regulations.

Data sources

Classification and Procedure used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008, as retained and amended in UK law.

Eve Irrit. 2: H319 - Causes serious eve irritation. - Calculation Method.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. - Calculation Method.

Text of Hazard Statements in Section 3

Flam. Liq. 3: H226 - Flammable liquid and vapour.

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Eye Dam. 1: H318 - Causes serious eye damage.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.