



SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Page 1/10

Poochie Black Dog Cologne

Revision 10

	Revision date 2022-11-2
SECTION 1: Identification o	f the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Poochie Black Dog Cologne
Product code	QAFS811
1.2. Relevant identified uses of	the substance or mixture and uses advised against
Product Use	[SU21] Consumer uses: Private households (= general public = consumers); [PC28] Perfumes, fragrances; [SU22] Professional uses: Public domain (administration, education, entertainment, services,
	craftsmen); [PC28] Perfumes, fragrances;
Description	Designer Fragrance - An all over fragranced body spray to improve your pets appeal.
1.3. Details of the supplier of the	e safety data sheet
Company	Superfine Manufacturing Ltd
Address	Orchardbank Industrial Estate
	Forfar
	Angus Scotland
	DD8 1TD
Web	www.superfine.co.uk
Telephone	Tel: 01307 463538
Fax	Fax: 01307 468505
Email address of the competent person	nigel@superfine.co.uk
1.4. Emergency telephone num	ber
Emanganes talanhana numban	04207 462520

Emergency telephone number	01307 463538
	8.30am to 17.00pm

For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice)

If you are a healthcare professional with an enquiry please visit www.TOXBASE.org

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

	3: H412;
1272/2008	

Revision 10 Revision date 2022-11-21

2.2. Label elements

Hazard pictograms	
Signal Word	Warning
Hazard Statement	Flam. Liq. 3: H226 - Flammable liquid and vapour. Skin Sens. 1: H317 - May cause an allergic skin reaction. Eye Irrit. 2: H319 - Causes serious eye irritation. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statement: Prevention	P102 - Keep out of reach of children. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Precautionary Statement: Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.
Precautionary Statement: Storage	P403+P235 - Store in a well-ventilated place. Keep cool.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved disposal site, in accordance with local regulations.
SUPPLEMENTAL HAZARD INFORMATION	Ingredients - Denatured Ethanol, Aqua, Aloe Barbedensis Leaf Juice, Citric Acid, Sodium Benzoate, Potassium Sorbate, Anthemis Nobilis, Parfum, Limonene, Linalool, Benzyl Salicylate, Alpha-isomethyl ionone, Coumarin, Citronellol, Citral, Geraniol.
	Contains - Denatured Alcohol, Tetramethyl acetyloctahydronaphthalenes, Hexamethylindanopyran, Linalyl acetate, Ethyl linalool, Limonene, Linalool, Ethyl trimethylcyclopentene butenol, Cedrol methyl ether, Amyl salicylate, Ocean propanal, (Z) -3-hexen-1-yl salicylate.
2.3. Other hazards	
Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The substance/mixture does not contain substances with endocrine disrupting properties.
Further information	
	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.
SECTION 2: Composition/in	f

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Revision 10 Revision date 2022-11-21

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Ethanol: Ethyl Alcohol (Ethanol)		64-17-5	200-578-6	01-2119457610-43	70 - 80%	Flam. Liq. 2: H225; Eye Irrit. 2: H319;
1- (2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8 -octahydronaphthalen-2-yl)ethanon e		54464-57-2	259-174-3	01-2119489989-04	1 - 10%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 1: H410;
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-h examethylindeno[5,6-c]pyran	603-212-00-7	1222-05-5	214-946-9	01-2119488227-29	0.5 - 1%	Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
1,5-Dimethyl-1-vinylhex-4-en-1-yl acetate		115-95-7	204-116-4	01-2119454789-19	0 - 0.5%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319;
3,7-Dimethylnona-1,6-dien-3-ol		10339-55-6	233-732-6	01-2119969272-32	0 - 0.5%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319;
D-Limonene	601-029-00-7	5989-27-5	227-813-5		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
3,7-Dimethylocta-1,6-dien-3-ol		78-70-6	201-134-4	01-2119474016-42	0 - 0.5%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319;
2-Ethyl-4- (2,2,3-trimethylcyclopent-3-en-1-yl) but-2-en-1-ol		28219-61-6	248-908-8		0 - 0.5%	Eye Irrit. 2: H319; Aquatic Acute 1: H400; Aquatic Chronic 2: H411;
8-Methoxycedrane		19870-74-7	243-384-7		0 - 0.5%	Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
Pentyl salicylate		2050-08-0	218-080-2		0 - 0.5%	Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410:
Alpha-Methyl-1,3-Benzodioxole-5-p ropionaldehyde		1205-17-0	214-881-6	01-2120740119-58	0 - 0.5%	Skin Sens. 1: H317; Repr. 2: H361; Aquatic Chronic 2: H411;
(Z)-3-hexenyl Salicylate		65405-77-8	265-745-8	01-2119987320-37	0 - 0.5%	Aquatic Acute 1: H400; Aquatic Chronic 1: H410;

1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone (CAS No. 54464-57-2) - M Factor (Chronic) = 1.

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (CAS No. 1222-05-5) - M Factor (Acute/Chronic) = 1.

D-Limonene (CAS No. 5989-27-5) - M Factor (Acute/Chronic) = 1.

2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-Buten-1-ol (CAS No. 28219-61-6) - M Factor (Acute) = 1.

8-Methoxycedrane, CAS No. 19870-74-7 - M Factor (Acute/Chronic) = 1.

Pentyl salicylate, CAS No. 2050-08-0 - M Factor (Acute/Chronic) = 1.

(Z)-3-hexenyl Salicylate (CAS No. 65405-77-8) - M Factor (Acute/Chronic) = 1.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	High concentration of vapour in enclosed space may cause irritation,headaches and nausea. May cause irritation to respiratory system.
Eye contact	Irritating to eyes.
Skin contact	May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin.
Ingestion	May cause irritation to mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

Revision 10 Revision date 2022-11-21

	Revision date 2022-11-21
4.3. Indication of any immediate	e medical attention and special treatment needed
	TREAT SYMPTOMATICALLY.
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting me	easures
5.1. Extinguishing media	
	Flammable liquid. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
5.2. Special hazards arising from	m the substance or mixture
	Flammable liquid and vapour.
5.3. Advice for firefighters	
	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental rele	ase measures
6.1. Personal precautions, prote	ective equipment and emergency procedures
	Wear suitable protective equipment. Flammable liquid. Avoid sparks, flames, heat and sources of ignition.
6.2. Environmental precautions	'
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material for co	
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Avoid sparks, flames, heat and sources of ignition.
6.4. Reference to other sections	3
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling and s	storage
7.1. Precautions for safe handling	ng
	Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage	, including any incompatibilities
	Flammable liquid. Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light. Store in a well-ventilated place. Keep cool. Store in original container. Keep container tightly closed. Keep away from combustible material. Keep out of the reach of children.
7.3. Specific end use(s)	
	Designer Fragrance - An all over fragranced body spray to improve your pets appeal.
Suitable packaging	
	Plastic containers.

Revision 10 Revision date 2022-11-21

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure controls.

8.1.1. Exposure Limit Values

2,6,6-Trimethylbicyclo[3.1.1]hept -2-ene (Alpha-Pinene)	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 140
, ,	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 300
	WEL 8-hr limit mg/m3 total inhalable dust:	WEL 15 min limit mg/m3 total inhalable dust:
	WEL 8-hr limit mg/m3 total respirable dust:	WEL 15 min limit mg/m3 total respirable dust:
6,6-Dimethyl-2-methylenebicyclo [3.1.1]heptane	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 140
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 300
	WEL 8-hr limit mg/m3 total inhalable dust:	WEL 15 min limit mg/m3 total inhalable dust:
	WEL 8-hr limit mg/m3 total respirable dust:	WEL 15 min limit mg/m3 total respirable dust:
Ethanol: Ethyl Alcohol (Ethanol)	WEL 8-hr limit ppm: 1000	WEL 8-hr limit mg/m3: 1920
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers

2,6,6-Trimethylbicyclo[3.1.1]hept	Long-term - inhalation - Systemic	5.98 mg/m³
-2-ene	effects	
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic	950 mg/m³
	effects	
	Long-term - inhalation - Local	1900 mg/m³ Long-term - dermal - Systemic 343 mg/kg
	effects	effects

Exposure Pattern - General population

2,6,6-Trimethylbicyclo[3.1.1]hept	Long-term - inhalation - Systemic	1.06 mg/m³	
-2-ene	effects		
	Long-term - oral - Systemic	0.31 mg/kg	
	effects		
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic	114 mg/m³	
	effects		
	Long-term - inhalation - Local	950 mg/m³	Long-term - dermal - Systemic 206 mg/kg
	effects		effects
	Long-term - oral - Systemic	87 mg/kg	
	effects		

8.2. Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face

Revision 10 Revision date 2022-11-21

8.2. Exposure controls

8.2.1. Appropriate engineering controls

protection Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of

vapours below there respective threshold limit value. Ensure eyewash stations and safety

showers are close to the workstation location.

Eye / face protection

Skin protection -Handprotection

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.

Nitrile Gloves.

Respiratory protection No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

8.2.3. Environmental exposure controls

Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Liquid

Colour Colourless

Odour Designer Fragranced

Odour threshold No data available

pН

Melting point No data available

Initial boiling point No data available

> 23 °C Flash point

Evaporation rate No data available

Flammability (solid, gas) No data available No data available

Vapour pressure

Relative Vapour Density No data available

Density / Relative Density 0.8 - 0.9 (H2O = 1 @ 20 °C)

Partition coefficient No data available Autoignition temperature

No data available

Viscosity

< 20 centipoise

Explosive properties

No data available No data available

Oxidising properties Solubility

Soluble in water

9.2. Other information

Conductivity Surface tension

No data available No data available

Gas group

No data available

Benzene Content

No data available

Lead content

No data available

VOC (Volatile organic compounds

No data available

9.2.1. Information with regard to physical hazard classes

No data is available on this product.

9.2.2. Other safety characteristics

No data is available on this product.

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid. Stable under normal conditions.

Revision 10
Revision date 2022-11-21

10.2. Chemical stability			
	Flammable liquid. Stable under normal conditions.		
0.3. Possibility of hazardous re	actions		
	Oxidising agents. Combustible materials.		
0.4. Conditions to avoid			
	Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light.		
0.5. Incompatible materials			
	Oxidising agents.		
0.6. Hazardous decomposition	products		
	No Hazardous decomposition products when stored and handled correctly.		
SECTION 11: Toxicological	information		
1.1 Information on hazard class			
The final of the factor of the	This mixture has not been tested as a whole for health effects. The health effects have been		
	calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).		
Acute toxicity	based on available data the classification criteria are not met.		
	Oral ATE = >10,000 mg/kg.		
Skin corrosion/irritation	based on available data the classification criteria are not met.		
Serious eye damage/irritation	Eye Irrit. 2: H319 - Causes serious eye irritation.		
Respiratory or skin sensitisation	Skin Sens. 1: H317 - May cause an allergic skin reaction.		
Germ cell mutagenicity	based on available data the classification criteria are not met.		
Carcinogenicity	based on available data the classification criteria are not met.		
Reproductive toxicity	based on available data the classification criteria are not met.		
STOT-single exposure	based on available data the classification criteria are not met.		
STOT-repeated exposure	based on available data the classification criteria are not met.		
Aspiration hazard	based on available data the classification criteria are not met.		
Repeated or prolonged	Prolonged contact may cause defatting of the skin.		
exposure 11.1.2. Mixtures	<u> </u>		
11.1.2. 1111/100	No data available.		
1.1.3. Hazard Information	The data available.		
T. T.O. TIGLER III OF TIGER	No data available.		
1.1.4. Toxicological Information	1 111111111111		
2,6,6-Trimethylbicyclo[3.1.1]hept	Oral Rat LD50: 3500 mg/kg		
-2-ene 6,6-Dimethyl-2-methylenebicyclo [3.1.1]heptane	Dermal Rat LD50: 133848.9mg/kg		
S.T. Ijnepiane Ethanol: Ethyl Alcohol	Oral Rat LD50: 10470.0 mg/kg		
,	Inhalation Rat LC50/4 h: 20 mg/l		

11.2 Information on other hazards

No data is available on this product.

SECTION 12: Ecological information

12.1. Toxicity

No data available

Revision 10 Revision date 2022-11-21

Ethanol: Ethyl Alcohol	NOEC / EC10 for marine or 9.6000 mg/l	
Edianol. Ediyi Alconol	freshwater organisms	
2.2. Persistence and degr	adability	
	Substance biodegrades at a moderate rate and inherently biodegradable according to the O guide lines.	ECD
2.3. Bioaccumulative pote	ntial	
)	The product is not bioaccumulating.	
Partition coefficient	Poochie Black Dog Cologne No data available Ethanol: Ethyl Alcohol -0.35 log P	_
	Poochie Black Dog Cologne No data available Ethanol: Ethyl Alcohol -0.35 log P	_
2.4. Mobility in soil		
	This product is soluble in water.	
12.5. Results of PBT and v		
	This substance/mixture is not classified as PBT or vPvB according to current criteria.	
12.6 Endocrine disrupting p		
	No data is available on this product.	
2.7. Other adverse effects		
	No data is available on this product.	_
SECTION 13: Disposal	considerations	
3.1. Waste treatment met	nods	
	Dispose of waste and residues in accordance with local authority requirements.	
General information		
	Dispose of in compliance with all local and national requirements.	
Disposal of packaging		
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.	
SECTION 14: Transport	information	
Hazard pictograms		
	3	
14.1. UN number	•	
	UN1170	
14.2. UN proper shipping n	ame	
	ETHYL ALCOHOL SOLUTION	
14.3. Transport hazard clas	s(es)	
ADR/RID	3	
Subsidiary risk	- 2	
IMDG	3	

Subsidiary risk

Revision 10 Revision date 2022-11-21

14.3. Transport hazard class(es)	14.3. Transport hazard class(es)		
IATA	3		
Subsidiary risk	-		
14.4. Packing group			
Packing group	III		
14.5. Environmental hazards			
Environmental hazards	No		
Marine pollutant	No		
14.6. Special precautions for user			
	No additional special precautions.		
14.7 Maritime Transport in bulk according to IMO instruments			
	Not applicable.		
ADR/RID			
Hazard ID	30		
Tunnel Category	(D/E)		
IMDG			
EmS Code	F-E S-D		
IATA			
Packing Instruction (Cargo)	366		
Maximum quantity	220 L		
Packing Instruction	355		
(Passenger)			
Maximum quantity	60 L		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Other information

RevisionThis document differs from the previous version in the following areas:.

Revision 10 Revision date 2022-11-21

Other information	Other information		
	2 - Other hazards.		
	2 - Precautionary Statement: Prevention.		
	2 - Precautionary Statement: Response.		
	2 - Precautionary Statement: Disposal.		
	2 - Further information.		
	2 - SUPPLEMENTAL HAZARD INFORMATION.		
	3 - 3.2. Mixtures.		
	9 - 9.2.2. Other safety characteristics.		
	9 - 9.2.1. Information with regard to physical hazard classes.		
	11 - Acute toxicity.		
	11 - 11.2 Information on other hazards.		
	12 - 12.1. Toxicity.		
	12 - 12.6 Endocrine disrupting properties.		
	12 - 12.7. Other adverse effects.		
	15 - Regulations.		
Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation		
	(EC) No. 1272/2008, as retained and amended in UK law.		
	Flam. Liq. 3: H226 - Flammable liquid and vapour Flash Point - 23 degC.		
	Skin Sens. 1: H317 - May cause an allergic skin reaction Calculation Method.		
	Eye Irrit. 2: H319 - Causes serious eye irritation Calculation Method.		
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects Calculation Method.		
Text of Hazard Statements in	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.		
Section 3	Eye Irrit. 2: H319 - Causes serious eye irritation.		
	Skin Irrit. 2: H315 - Causes skin irritation.		
	Skin Sens. 1: H317 - May cause an allergic skin reaction.		
	Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.		
	Flam. Liq. 3: H226 - Flammable liquid and vapour.		
	Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.		
	Aquatic Acute 1: H400 - Very toxic to aquatic life.		
	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.		
	Acute Tox. 4: H302 - Harmful if swallowed.		
	Repr. 2: H361 - Suspected of damaging fertility or the unborn child .		
Further information			
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,		
	storage and handling of the product. This information is correct to the best of our knowledge and		
	belief at the date of publication however no guarantee is made to its accuracy. This information		
	relates only to the specific material designated and may not be valid for such material used in		
	combination with any other materials or in any other process.		