



SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/10

Shes 1 in a Million Dog Cologne

Revision 12 Povision data 2021 12 17

	Revision date 2021-12-1
SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Shes 1 in a Million Dog Cologne
Product code	QAFS747
1.2. Relevant identified uses of the	he substance or mixture and uses advised against
Product Use	[SU21] Consumer uses: Private households (= general public = consumers); [PC28] Perfumes, fragrances;
	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC28] Perfumes, fragrances;
Description	She's 1 in a Million Dog, Dog Cologne is an all over, designer type fragranced, doggy body spray. Contains extract of Chamomile to soothe and refresh the skin.
1.3. Details of the supplier of the	safety data sheet
Company	Superfine Manufacturing Ltd
Address	Orchardbank Industrial Estate
	Forfar
	Angus
	Scotland
NA/ah	DD8 1TD
Web	www.superfine.co.uk
Telephone	Tel: 01307 463538
Fax	Fax: 01307 468505
Email address of the competent person	nigel@superfine.co.uk
1.4. Emergency telephone numb	Der
Emergency telephone number	01307 463538
,	8.30am to 17.00pm
	For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice)
	If you are a healthcare professional with an enquiry please visit www.TOXBASE.org
	If you are a healthcare professional with an enquiry please visit www.TOXBASE.org

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC	Flam. Liq. 3: H226; Skin Sens. 1: H317; Eye Irrit. 2: H319; Aquatic Chronic 3: H412;
1272/2008	

2.2. Label elements

Revision 12 Revision date 2021-12-17

2.2. Label elements

Hazard pictograms	
Signal Word	Warning
Hazard Statement	Flam. Liq. 3: H226 - Flammable liquid and vapour.
	Skin Sens. 1: H317 - May cause an allergic skin reaction.
	Eye Irrit. 2: H319 - Causes serious eye irritation.
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statement:	P102 - Keep out of reach of children.
Prevention	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
Precautionary Statement:	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
Response	lenses, if present and easy to do. Continue rinsing.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
Precautionary Statement: Storage	P403+P235 - Store in a well-ventilated place. Keep cool.
SUPPLEMENTAL HAZARD	Ingredients - Denatured Alcohol, Aqua, Aloe Barbadensis Leaf, Citric Acid, Sodium Benzoate,
INFORMATION	Potassium Sorbate, Anthemis Nobilis, Parfum, Alpha Iso Methyl Ionone, Benzyl Salicylate,
	Limonene, Hydroxycitronellal, Hexyl Cinnamal, Linalool, Coumarin, Citronellol, Citral, Evernia
	Prunastri (Oakmoss), Benzyl Benzoate.
2.3. Other hazards	

Other hazards This mixture is not classified as PBT or vPvB according to current EU criteri

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Revision 12 Revision date 2021-12-17

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Ethanol: Ethyl Alcohol (Ethanol)		64-17-5	200-578-6	01-2119457610-43	60 - 70%	Flam. Liq. 2: H225; Eye Irrit. 2: H319;
1- (2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8 -octahydronaphthalen-2-yl)ethanon e		54464-57-2	259-174-3	01-2119489989-04	1 - 10%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 1: H410;
E-Oxacyclohexadec-12(+13) -en-2-one		111879-80-2	422-320-3	01-0000016883-62	0 - 0.5%	Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
8-Methoxycedrane		19870-74-7	243-384-7		0 - 0.5%	Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
3-Methyl-4- (2,6,6-trimethylcyclohex-2-en-1-yl)b ut-3-en-2-one		127-51-5	204-846-3		0 - 0.5%	Skin Sens. 1: H317; Aquatic Chronic 2: H411;
3,7-Dimethylnona-1,6-dien-3-ol		10339-55-6	233-732-6	01-2119969272-32	0 - 0.5%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319;
Benzyl salicylate		118-58-1	204-262-9		0 - 0.5%	Skin Sens. 1: H317; Aquatic Chronic 3: H412;
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-h examethylindeno[5,6-c]pyran	603-212-00-7	1222-05-5	214-946-9	01-2119488227-29	0 - 0.5%	Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
1,2,3,5,6,7-Hexahydro-1,1,2,3,3-pe ntamethyl-4H-inden-4-one		33704-61-9	251-649-3	01-2119977131-40	0 - 0.5%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319; Aquatic Chronic 2: H411;
Alpha-Methyl-1,3-Benzodioxole-5-p ropionaldehyde		1205-17-0	214-881-6	01-2120740119-58	0 - 0.5%	Skin Sens. 1: H317; Repr. 2: H361; Aquatic Chronic 2: H411;
D-Limonene	601-029-00-7	5989-27-5	227-813-5		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;

1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl) ethanone (CAS No. 54464-57-2) - M Factor (Acute/Chronic) = 1.

E-Oxacyclohexadec-12(+13)-en-2-one (CAS No. 111879-80-2) - M Factor (Acute/Chronic) = 1. 8-Methoxycedrane, CAS No. 19870-74-7 - M Factor (Acute/Chronic) = 1.

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran, CAS No. 1222-05-5 - M Factor (Acute/Chronic) = 1.

1,2,3,4,5,6,7-Hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one, CAS No. 33704-61-9 - M Factor (Chronic) = 1.

D-Limonene (CAS No. 5989-27-5) - M Factor (Acute/Chronic) = 1.

Further information

Product Shelf Life RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.

4.2 Most important symptoms and effects, both acute and delayed

Most important symptoms and effects, both acute and delayed				
Inhalation	High concentration of vapour in enclosed space may cause irritation, headaches and nausea. May cause irritation to respiratory system.			
Eye contact	Irritating to eyes.			
Skin contact	May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin.			
Ingestion	May cause irritation to mucous membranes.			

4.3. Indication of any immediate medical attention and special treatment needed

Revision 12 Revision date 2021-12-17

	Revision date 2021-12-1
4.3. Indication of any immedi	ate medical attention and special treatment needed
	TREAT SYMPTOMATICALLY.
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention
	if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting r	measures
5.1. Extinguishing media	
	Flammable liquid. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
5.2. Special hazards arising t	from the substance or mixture
	Flammable liquid and vapour.
5.3. Advice for firefighters	
ero, y tanisa isi iiiong, ioto	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental re	elease measures
	otective equipment and emergency procedures
,	Wear suitable protective equipment. Flammable liquid. Avoid sparks, flames, heat and sources of ignition.
6.2. Environmental precautio	
	Advise local authorities if large spills cannot be contained.
6.3 Methods and material fo	r containment and cleaning up
0.3. Wethous and material to	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for
	disposal. Avoid sparks, flames, heat and sources of ignition.
6.4. Reference to other section	ons
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling and	d storage
7.1. Precautions for safe han	
	Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe stora	ge, including any incompatibilities
	Flammable liquid. Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun
	Light. Store in a well-ventilated place. Keep cool. Store in original container. Keep container tightly closed. Keep away from combustible material. Keep out of the reach of children.
7.3. Specific end use(s)	
	She's 1 in a Million Dog, Dog Cologne is an all over, designer type fragranced, doggy body spray. Contains extract of Chamomile to soothe and refresh the skin.
Suitable packaging	

Revision 12 Revision date 2021-12-17

Suitable packaging

Plastic containers.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure controls.

8.1.1. Exposure Limit Values

2,6,6-Trimethylbicyclo[3.1.1]hept	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 140
-2-ene (Alpha-Pinene)	77 22 3 11 11111 ()	WEL O III IIIIIC HIGHIO.
, ,	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 300
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:
6,6-Dimethyl-2-methylenebicyclo [3.1.1]heptane	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 140
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 300
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:
Ethanol: Ethyl Alcohol (Ethanol)	WEL 8-hr limit ppm: 1000	WEL 8-hr limit mg/m3: 1920
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers

2,6,6-Trimethylbicyclo[3.1.1]hept	Long-term - inhalation - Systemic 5.98 mg/m³	
-2-ene	effects	
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic 950 mg/m³	
	effects	
	Long-term - inhalation - Local 1900 mg/m³	Long-term - dermal - Systemic 343 mg/kg
	effects	effects

Exposure Pattern - General population

2,6,6-Trimethylbicyclo[3.1.1]hept	Long-term - inhalation - Systemic	1.06 mg/m ³	
-2-ene	effects		
	Long-term - oral - Systemic	0.31 mg/kg	
	effects		
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic	114 mg/m³	
	effects		
	Long-term - inhalation - Local	950 mg/m³	Long-term - dermal - Systemic 206 mg/kg
	effects		effects
	Long-term - oral - Systemic	87 mg/kg	
	effects		

8.2. Exposure controls

Revision 12 Revision date 2021-12-17

8.2. Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Eye / face protection Skin protection -Handprotection

Respiratory protection

controls

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.

Nitrile Gloves.

8.2.3. Environmental exposure

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid

Colour

Odour Designer Fragranced

Odour threshold No data available

> Ηq 6 - 7.8

Melting point

No data available

Initial boiling point No data available

> Flash point > 23 °C

Evaporation rate No data available Flammability (solid, gas) No data available

Vapour pressure No data available No data available

Vapour density Relative density 0.8 - 0.9 (H2O = 1 @ 20 °C)

Partition coefficient No data available

Autoignition temperature No data available Viscosity < 20 centipoise

> No data available Oxidising properties Solubility Slightly miscible in water

9.2. Other information

Conductivity No data available Surface tension No data available Gas group No data available Benzene Content No data available Lead content No data available VOC (Volatile organic No data available

SECTION 10: Stability and reactivity

compounds)

10.1. Reactivity

Revision 12 Revision date 2021-12-17

Teammable liquid. Stable under normal conditions.	
Flammable liquid. Stable under normal conditions.	
Flammable liquid. Stable under normal conditions. 10.3. Possibility of hazardous reactions Oxidising agents. Combustible materials. 10.4. Conditions to avoid Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light. 10.5. Incompatible materials Oxidising agents. Oxidising agents. 10.6. Hazardous decomposition products No Hazardous decomposition products when stored and handled correctly. SECTION 11: Toxicological information 11.1. Information on toxicological effects This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP). based on available data the classification criteria are not met. Oral ATE = >10,000 mg/kg. Inhalation - Dust/Mist ATE = >2,000 mg/l. Serious eye damage/irritation Eye Irrit. 2: H319 - Causes serious eye irritation.	
Oxidising agents. Combustible materials. 10.4. Conditions to avoid Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light. 10.5. Incompatible materials Oxidising agents. Oxidising agents. Oxidising agents. 10.6. Hazardous decomposition products No Hazardous decomposition products when stored and handled correctly. SECTION 11: Toxicological information 11.1. Information on toxicological effects This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP). based on available data the classification criteria are not met. Oral ATE = >10,000 mg/kg. Inhalation - Dust/Mist ATE = >2,000 mg/l. Skin corrosion/irritation based on available data the classification criteria are not met. Eye Irrit. 2: H319 - Causes serious eye irritation.	
Oxidising agents. Combustible materials. 10.4. Conditions to avoid Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light. 10.5. Incompatible materials Oxidising agents. Oxidising agents. Oxidising agents. 10.6. Hazardous decomposition products No Hazardous decomposition products when stored and handled correctly. SECTION 11: Toxicological information 11.1. Information on toxicological effects This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP). based on available data the classification criteria are not met. Oral ATE = >10,000 mg/kg. Inhalation - Dust/Mist ATE = >2,000 mg/l. Skin corrosion/irritation based on available data the classification criteria are not met. Eye Irrit. 2: H319 - Causes serious eye irritation.	
Oxidising agents. Combustible materials. 10.4. Conditions to avoid Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light. 10.5. Incompatible materials Oxidising agents. 10.6. Hazardous decomposition products No Hazardous decomposition products when stored and handled correctly. SECTION 11: Toxicological information 11.1. Information on toxicological effects This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP). based on available data the classification criteria are not met. Oral ATE = >10,000 mg/kg. Dermal ATE = >10,000 mg/kg. Inhalation - Dust/Mist ATE = >2,000 mg/l. based on available data the classification criteria are not met. Eye Irrit. 2: H319 - Causes serious eye irritation.	
Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light.	
Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light. 10.5. Incompatible materials Oxidising agents. 10.6. Hazardous decomposition products No Hazardous decomposition products when stored and handled correctly. SECTION 11: Toxicological information 11.1. Information on toxicological effects This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP). based on available data the classification criteria are not met. Oral ATE = >10,000 mg/kg. Dermal ATE = >10,000 mg/kg. Inhalation - Dust/Mist ATE = >2,000 mg/l. based on available data the classification criteria are not met. Eye Irrit. 2: H319 - Causes serious eye irritation.	
Oxidising agents.	
Oxidising agents.	
No Hazardous decomposition products when stored and handled correctly. SECTION 11: Toxicological information	
No Hazardous decomposition products when stored and handled correctly. SECTION 11: Toxicological information	
SECTION 11: Toxicological information 11.1. Information on toxicological effects This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP). based on available data the classification criteria are not met. Oral ATE = >10,000 mg/kg. Dermal ATE = >10,000 mg/kg. Inhalation - Dust/Mist ATE = >2,000 mg/l. Skin corrosion/irritation Serious eye damage/irritation Eye Irrit. 2: H319 - Causes serious eye irritation.	
This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP). based on available data the classification criteria are not met. Oral ATE = >10,000 mg/kg. Dermal ATE = >10,000 mg/kg. Inhalation - Dust/Mist ATE = >2,000 mg/l. Skin corrosion/irritation Serious eye damage/irritation Eye Irrit. 2: H319 - Causes serious eye irritation.	
This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP). based on available data the classification criteria are not met. Oral ATE = >10,000 mg/kg. Dermal ATE = >10,000 mg/kg. Inhalation - Dust/Mist ATE = >2,000 mg/l. Skin corrosion/irritation Serious eye damage/irritation Eye Irrit. 2: H319 - Causes serious eye irritation.	
This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP). based on available data the classification criteria are not met. Oral ATE = >10,000 mg/kg. Dermal ATE = >10,000 mg/kg. Inhalation - Dust/Mist ATE = >2,000 mg/l. Skin corrosion/irritation Serious eye damage/irritation Eye Irrit. 2: H319 - Causes serious eye irritation.	
Acute toxicity Calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP). based on available data the classification criteria are not met. Oral ATE = >10,000 mg/kg. Dermal ATE = >10,000 mg/kg. Inhalation - Dust/Mist ATE = >2,000 mg/l. Skin corrosion/irritation Serious eye damage/irritation Eye Irrit. 2: H319 - Causes serious eye irritation.	
Acute toxicity based on available data the classification criteria are not met. Oral ATE = >10,000 mg/kg. Dermal ATE = >10,000 mg/kg. Inhalation - Dust/Mist ATE = >2,000 mg/l. Skin corrosion/irritation Serious eye damage/irritation Eye Irrit. 2: H319 - Causes serious eye irritation.	n
Oral ATE = >10,000 mg/kg. Dermal ATE = >10,000 mg/kg. Inhalation - Dust/Mist ATE = >2,000 mg/l. Skin corrosion/irritation Serious eye damage/irritation Eye Irrit. 2: H319 - Causes serious eye irritation.	
Inhalation - Dust/Mist ATE = >2,000 mg/l. Skin corrosion/irritation Serious eye damage/irritation Inhalation - Dust/Mist ATE = >2,000 mg/l. based on available data the classification criteria are not met. Eye Irrit. 2: H319 - Causes serious eye irritation.	
Skin corrosion/irritation Serious eye damage/irritation based on available data the classification criteria are not met. Eye Irrit. 2: H319 - Causes serious eye irritation.	
Serious eye damage/irritation Eye Irrit. 2: H319 - Causes serious eye irritation.	
Popriestony or akin Ckin Cong. 1: U217 May acuse an allegain alsia repetition	
Respiratory or skin Skin Sens. 1: H317 - May cause an allergic skin reaction. sensitisation	
Germ cell mutagenicity based on available data the classification criteria are not met.	
Carcinogenicity based on available data the classification criteria are not met.	
Reproductive toxicity based on available data the classification criteria are not met.	
STOT-single exposure based on available data the classification criteria are not met.	
STOT-repeated exposure based on available data the classification criteria are not met.	
Aspiration hazard based on available data the classification criteria are not met.	
Repeated or prolonged based on available data the classification criteria are not met.	
exposure	
11.1.2. Mixtures	
No data available.	
11.1.3. Hazard Information	
No data available.	
11.1.4. Toxicological Information	
2,6,6-Trimethylbicyclo[3.1.1]hept Oral Rat LD50: 3500 mg/kg	
-2-ene 6,6-Dimethyl-2-methylenebicyclo [3.1.1]heptane Dermal Rat LD50: 133848.9mg/kg Oral Rat LD50: 37287.23m	ng/kg
Ethanol: Ethyl Alcohol Oral Rat LD50: 10470.0 mg/kg Dermal Rabbit LD50: 15800.0 m	ng/kg
Inhalation Rat LC50/4 h: 20 mg/l	

SECTION 12: Ecological information

12.1. Toxicity

Revision 12 Revision date 2021-12-17

12.1. Toxicity

Ethanol: Ethyl Alcohol	Daphnia EC50/48h: 12340.0000 mg/l	Algae EC50/72h: 275 mg/l
	Green Algae EC50/48h: >100mg/l	Fathead minnows LC50/96h: 14200 mg/l
	Rainbow trout LC50/96h: 13000 mg/l	Golden orfe LC50/48h: >100 mg/l
	NOEC / EC10 for marine or 9.6000 mg/l	
	freshwater organisms	

12.2. Persistence and degradability

Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD quide lines.

12.3. Bioaccumulative potential

The product is not bioaccumulating.

Partition coefficient

	Shes 1 in a Million Dog Cologne No data available	Ethanol: Ethyl Alcohol -0.35 log P
--	---	------------------------------------

12.4. Mobility in soil

This product is soluble in water.

12.5. Results of PBT and vPvB assessment

This mixture is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

General information

Dispose of in compliance with all local and national requirements.

Disposal of packaging

Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.

SECTION 14: Transport information

Hazard pictograms



14.1. UN number

UN1170

14.2. UN proper shipping name

ETHYL ALCOHOL SOLUTION

14.3. Transport hazard class(es)

ADR/RID	3
Subsidiary risk	-
IMDG	3

Revision 12 Revision date 2021-12-17

	100000000000000000000000000000000000000
14.3. Transport hazard class(es))
Subsidiary risk	-
IATA	3
Subsidiary risk	-
14.4. Packing group	
Packing group	III
14.5. Environmental hazards	
Environmental hazards	No
Marine pollutant	No
14.6. Special precautions for user	
	No additional special precautions.
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	
	Not applicable.
ADR/RID	
Hazard ID	30
Tunnel Category	(D/E)
IMDG	
EmS Code	F-E S-D
IATA	
Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction	355
(Passenger)	
Maximum quantity	60 L
OFOTION 45: De mileten : informe etien	

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Other information

Revision This document differs from the previous version in the following areas:.

- 2 Precautionary Statement: Prevention.
- 2 Precautionary Statement: Response.
- 2 Precautionary Statement: Storage.

Revision 12 Revision date 2021-12-17

Other information			
	2 - Precautionary Statement: Disposal.		
	2 - SUPPLEMENTAL HAZARD INFORMATION.		
	3 - 3.2. Mixtures.		
	11 - Acute toxicity.		
	11 - Repeated or prolonged exposure.		
	12 - 12.1. Toxicity.		
Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation		
	(EC) No. 1272/2008:.		
	Flam. Liq. 3: H226 - Flammable liquid and vapour Flash Point - 23 degC.		
	Skin Sens. 1: H317 - May cause an allergic skin reaction Calculation Method.		
	Eye Irrit. 2: H319 - Causes serious eye irritation Calculation Method.		
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects Calculation Method.		
Text of Hazard Statements in	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.		
Section 3	Eye Irrit. 2: H319 - Causes serious eye irritation.		
	Skin Irrit. 2: H315 - Causes skin irritation.		
	Skin Sens. 1: H317 - May cause an allergic skin reaction.		
	Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.		
	Aquatic Acute 1: H400 - Very toxic to aquatic life.		
	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.		
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.		
	Repr. 2: H361 - Suspected of damaging fertility or the unborn child .		
	Flam. Liq. 3: H226 - Flammable liquid and vapour.		
	Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.		
Further information	Further information		
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,		
	storage and handling of the product. This information is correct to the best of our knowledge and		
	belief at the date of publication however no guarantee is made to its accuracy. This information		
	relates only to the specific material designated and may not be valid for such material used in		
	combination with any other materials or in any other process.		