



SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Page 1/10

Shes 1 in a Million Dog Cologne

Revision 15

Revision date 2024-05-30

OFOTION 4. I.I. US. U.	the selection of the second of	
SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	Shes 1 in a Million Dog Cologne	
Product code	QAFS747	
1.2. Relevant identified uses of t	he substance or mixture and uses advised against	
Product Use	[SU21] Consumer uses: Private households (= general public = consumers); [PC28] Perfumes, fragrances;	
	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC28] Perfumes, fragrances;	
Description	She's 1 in a Million Dog, Dog Cologne is an all over, designer type fragranced, doggy body spray. Contains extract of Chamomile to soothe and refresh the skin.	
1.3. Details of the supplier of the	e safety data sheet	
Company	Superfine Manufacturing Ltd	
Address	Orchardbank Industrial Estate	
	Forfar	
	Angus	
	Scotland DD8 1TD	
Web	www.superfine.co.uk	
Telephone	Tel: 01307 463538	
Fax	Fax: 01307 468505	
Email address of the	nigel@superfine.co.uk	
competent person	ingeneration.co.uk	
1.4. Emergency telephone numb	per	
Emergency telephone number	01307 463538	
	8.30am to 17.00pm	
	For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice)	
	If you are a healthcare professional with an enquiry please visit www.TOXBASE.org	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC	Flam. Liq. 3: H226; Skin Sens. 1: H317; Eye Irrit. 2: H319; Aquatic Chronic 3: H412;
1272/2008	

2.2. Label elements

Revision 15 Revision date 2024-05-30

2.2. Label elements

lazard pictograms	

Signal Word

Hazard Statement

Warning

Flam. Liq. 3: H226 - Flammable liquid and vapour.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Precautionary Statement:

P102 - Keep out of reach of children.

Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

Precautionary Statement: Response

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

Precautionary Statement: Storage

P403+P235 - Store in a well-ventilated place. Keep cool.

SUPPLEMENTAL HAZARD **INFORMATION**

Ingredients - Denatured Alcohol, Aqua, Aloe Barbadensis Leaf, Citric Acid, Sodium Benzoate, Potassium Sorbate, Anthemis Nobilis, Parfum, Tetramethyl Acetyloctahydronaphthalenes, Alpha Iso Methyl Ionone, Benzyl Salicylate, Hexamethylindanopyran, Limonene, Hydroxycitronellal, Vanillin, Linayl Acetate, Citrus Aurantium Peel Oil, Citrus Limon Peel Oil, Hexyl Cinnamal, Linalool, Citrus Aurantium Bergamia Peel Oil, Coumarin, Acetyl Cedrene, Citronellol, Pinene, Rose Ketones, Pogostemon Cablin Oil, Citral, Evernia Prunastri Extract, Menthol, Benzyl Benzoate.

Contains - Denatured Alcohol, Tetramethyl acetyloctahydronaphthalenes,

Oxacyclohexadecen-2-one, cedrol methyl ether, alpha-isomethyl ionone, ethyl linalool, Benzyl Salicylate, Hexamethylindanopyran, musk indanone, ocean propanal, Limonene.

2.3. Other hazards

Other hazards

This substance/mixture is not classified as PBT or vPvB according to current criteria. The substance/mixture does not contain substances with endocrine disrupting properties.

Further information

RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Revision 15 Revision date 2024-05-30

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Ethanol: Ethyl Alcohol (Ethanol)		64-17-5	200-578-6	01-2119457610-43	60 - 70%	Flam. Liq. 2: H225; Eye Irrit. 2: H319;
1- (2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8 -octahydronaphthalen-2-yl)ethanon e		54464-57-2	259-174-3	01-2119489989-04	1 - 10%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 2: H411;
E-Oxacyclohexadec-12(+13) -en-2-one		111879-80-2	422-320-3	01-0000016883-62	0 - 0.5%	Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
8-Methoxycedrane		19870-74-7	243-384-7		0 - 0.5%	Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
3-Methyl-4- (2,6,6-trimethylcyclohex-2-en-1-yl)b ut-3-en-2-one		127-51-5	204-846-3		0 - 0.5%	Skin Sens. 1: H317; Aquatic Chronic 2: H411;
3,7-Dimethylnona-1,6-dien-3-ol		10339-55-6	233-732-6	01-2119969272-32	0 - 0.5%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319;
Benzyl salicylate		118-58-1	204-262-9		0 - 0.5%	Skin Sens. 1: H317; Aquatic Chronic 3: H412;
1,2,3,5,6,7-Hexahydro-1,1,2,3,3-pe ntamethyl-4H-inden-4-one		33704-61-9	251-649-3	01-2119977131-40	0 - 0.5%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319; Aquatic Chronic 2: H411;
Alpha-Methyl-1,3-Benzodioxole-5-p ropionaldehyde		1205-17-0	214-881-6	01-2120740119-58	0 - 0.5%	Skin Sens. 1: H317; Repr. 2: H361; Aquatic Chronic 2: H411;
D-Limonene	601-029-00-7	5989-27-5	227-813-5		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;

E-Oxacyclohexadec-12(+13)-en-2-one (CAS No. 111879-80-2) - M Factor (Acute/Chronic) = 1. 8-Methoxycedrane, CAS No. 19870-74-7 - M Factor (Acute/Chronic) = 1. 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran, CAS No. 1222-05-5 - M Factor (Acute/Chronic) = 1. D-Limonene (CAS No. 5989-27-5) - M Factor (Acute/Chronic) = 1.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.	
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.	
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.	

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	High concentration of vapour in enclosed space may cause irritation, headaches and nausea. May cause irritation to respiratory system.
Eye contact	Irritating to eyes.
Skin contact	May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin.
Ingestion	May cause irritation to mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

	TREAT SYMPTOMATICALLY.
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.

Revision 15 Revision date 2024-05-30

	Revision date 2024-03-30
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting me	asures
5.1. Extinguishing media	
	Flammable liquid. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
5.2. Special hazards arising from	n the substance or mixture
	Flammable liquid and vapour.
5.3. Advice for firefighters	
	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental rele	ase measures
6.1. Personal precautions, prote	ective equipment and emergency procedures
	Wear suitable protective equipment. Flammable liquid. Avoid sparks, flames, heat and sources of ignition.
6.2. Environmental precautions	
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material for co	ontainment and cleaning up
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Avoid sparks, flames, heat and sources of ignition.
6.4. Reference to other sections	
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling and s	torage
7.1. Precautions for safe handling	ng
	Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage	including any incompatibilities
	Flammable liquid. Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light. Store in a well-ventilated place. Keep cool. Store in original container. Keep container tightly closed. Keep away from combustible material. Keep out of the reach of children.
7.3. Specific end use(s)	
	She's 1 in a Million Dog, Dog Cologne is an all over, designer type fragranced, doggy body spray. Contains extract of Chamomile to soothe and refresh the skin.
Suitable packaging	
	Plastic containers.
SECTION 8: Exposure contr	rols/personal protection
8.1. Control parameters	
	Occupational exposure controls.
8.1.1. Exposure Limit Values	

Revision 15 Revision date 2024-05-30

8.1.1. Exposure Limit Values

2,6,6-Trimethylbicyclo[3.1.1]hept -2-ene (Alpha-Pinene)	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 140
_ core (aprill a ment)	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 300
	WEL 8-hr limit mg/m3 total inhalable dust:	WEL 15 min limit mg/m3 total inhalable dust:
	WEL 8-hr limit mg/m3 total respirable dust:	WEL 15 min limit mg/m3 total respirable dust:
6,6-Dimethyl-2-methylenebicyclo [3.1.1]heptane	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 140
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 300
	WEL 8-hr limit mg/m3 total inhalable dust:	WEL 15 min limit mg/m3 total inhalable dust:
	WEL 8-hr limit mg/m3 total respirable dust:	WEL 15 min limit mg/m3 total respirable dust:
Ethanol: Ethyl Alcohol (Ethanol)	WEL 8-hr limit ppm: 1000	WEL 8-hr limit mg/m3: 1920
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers

2,6,6-Trimethylbicyclo[3.1.1]hept	Long-term - inhalation - Systemic 5.98 mg/m³	
-2-ene	effects	
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic 950 mg/m³	
	effects	
	Long-term - inhalation - Local 1900 mg/m³	Long-term - dermal - Systemic 343 mg/kg
	effects	effects

Exposure Pattern - General population

2,6,6-Trimethylbicyclo[3.1.1]hept	Long-term - inhalation - Systemic	1.06 mg/m³	
-2-ene	effects		
	Long-term - oral - Systemic	0.31 mg/kg	
	effects		
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic	114 mg/m³	
	effects		
	Long-term - inhalation - Local	950 mg/m³	Long-term - dermal - Systemic 206 mg/kg
	effects		effects
	Long-term - oral - Systemic	87 mg/kg	
	effects		

8.2. Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Eye / face protection Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.

Revision 15 Revision date 2024-05-30

8.2. Exposure controls

controls

Nitrile Gloves. Skin protection -Handprotection Respiratory protection No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment. 8.2.3. Environmental exposure Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid Colour Clear Odour Designer Fragranced Odour threshold No data available

> 6 - 7.8 pН

Melting point No data available Initial boiling point No data available Flash point > 23 °C

Evaporation rate No data available Flammability (solid, gas) No data available Vapour pressure No data available **Relative Vapour Density** No data available

Density / Relative Density 0.8 - 0.9 (H2O = 1 @ 20 °C)

Partition coefficient No data available Autoignition temperature No data available Viscosity < 20 centipoise Oxidising properties No data available Solubility Slightly miscible in water

9.2. Other information

Conductivity No data available Surface tension No data available Gas group No data available **Benzene Content** No data available Lead content No data available VOC (Volatile organic No data available compounds

9.2.1. Information with regard to physical hazard classes

No data is available on this product.

9.2.2. Other safety characteristics

No data is available on this product.

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid. Stable under normal conditions.

10.2. Chemical stability

Flammable liquid. Stable under normal conditions.

10.3. Possibility of hazardous reactions

Oxidising agents. Combustible materials.

Revision 15 Revision date 2024-05-30

10.4. Conditions to avoid	
	Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light.
10.5. Incompatible materials	S
	Oxidising agents.
10.6. Hazardous decompos	ition products
	No Hazardous decomposition products when stored and handled correctly.
SECTION 11: Toxicolog	ical information
11.1 Information on hazard	classes
	This mixture has not been tested as a whole for health effects. The health effects have been calculated from raw material supplier LD50 and Acute Toxicity Estimates (ATE) as outlined in the Regulation (EC) No. 1272/2008 (CLP) as amended by UK law.
Acute toxicity	based on available data the classification criteria are not met. Oral ATE = >10,000 mg/kg.

Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity

Skin corrosion/irritation

based on available data the classification criteria are not met. Eye Irrit. 2: H319 - Causes serious eye irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Carcinogenicity
Reproductive toxicity
STOT-single exposure
STOT-repeated exposure
Aspiration hazard
Repeated or prolonged

based on available data the classification criteria are not met.
based on available data the classification criteria are not met.
based on available data the classification criteria are not met.
based on available data the classification criteria are not met.
based on available data the classification criteria are not met.

based on available data the classification criteria are not met. based on available data the classification criteria are not met.

11.1.2. Mixtures

exposure

No data available.

11.1.3. Hazard Information

No data available.

11.1.4. Toxicological Information

2,6,6-Trimethylbicyclo[3.1.1]hept	Oral Rat LD50: 500 mg/kg	
-2-ene		
6,6-Dimethyl-2-methylenebicyclo	Dermal Rat LD50: 133848.9mg/kg	Oral Rat LD50: 37287.23mg/kg
[3.1.1]heptane		
Benzyl salicylate	Oral Rat LD50: 2200 mg/kg	
Ethanol: Ethyl Alcohol	Oral Rat LD50: 10470.0 mg/kg	Dermal Rabbit LD50: 15800.0 mg/kg
	Inhalation Rat LC50/4 h: >20 mg/l	

11.2 Information on other hazards

No data is available on this product.

SECTION 12: Ecological information

12.1. Toxicity

Ethanol: Ethyl Alcohol	Daphnia EC50/48h: 12340.0000 mg/l	Algae EC50/72h: 275 mg/l
	Green Algae EC50/48h: >100mg/l	Fathead minnows LC50/96h: 14200 mg/l
	Rainbow trout LC50/96h: 13000 mg/l	Golden orfe LC50/48h: >100 mg/l
	NOEC / EC10 for marine or 9.6000 mg/l	
	freshwater organisms	

Revision 15 Revision date 2024-05-30

	Revision date 2024-05-30
12.2. Persistence and degradab	ility
	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.
12.3. Bioaccumulative potential	
	The product is not bioaccumulating.
Partition coefficient	
	Shes 1 in a Million Dog Cologne No data available Ethanol: Ethyl Alcohol -0.35 log P
12.4. Mobility in soil	
	This product is soluble in water.
12.5. Results of PBT and vPvB	assessment
	This substance/mixture is not classified as PBT or vPvB according to current criteria.
12.6 Endocrine disrupting prope	rties
	No data is available on this product.
12.7. Other adverse effects	
	No data is available on this product.
SECTION 12: Disposal cons	
SECTION 13: Disposal cons	iderations
13.1. Waste treatment methods	
	Dispose of waste and residues in accordance with local authority requirements.
General information	
	Dispose of in compliance with all local and national requirements.
Disposal of packaging	
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.
SECTION 14: Transport info	rmation
Hazard pictograms	
The state of the s	
14.1. UN number	
	UN1170
14.2. UN proper shipping name	
	ETHYL ALCOHOL SOLUTION
14.3. Transport hazard class(es)	
ADR/RID	3
Subsidiary risk	
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-
14.4. Packing group	

Revision 15 Revision date 2024-05-30

	100 00 00 00 00 00 00 00 00 00 00 00 00
14.4. Packing group	
Packing group	III
14.5. Environmental hazards	
Environmental hazards	No
Marine pollutant	No
14.6. Special precautions for user	
	No additional special precautions.
14.7 Maritime Transport in bulk according to IMO instruments	
	Not applicable.
ADR/RID	
Hazard ID	30
Tunnel Category	(D/E)
IMDG	
EmS Code	F-E S-D
IATA	
Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction (Passenger)	355
Maximum quantity	60 L
SECTION 15: Pagulatory information	

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. As retained and amended in UK law.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. As retained and amended in UK law.

COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). As retained and amended in UK law.

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Other information

Revision	This document differs from the previous version in the following areas:. 12 - 12.1. Toxicity.	
Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation	

Revision 15 Revision date 2024-05-30

Other information	
	(EC) No. 1272/2008, as retained and amended in UK law. Flam. Liq. 3: H226 - Flammable liquid and vapour Flash Point - 23 degC. Skin Sens. 1: H317 - May cause an allergic skin reaction Calculation Method. Eye Irrit. 2: H319 - Causes serious eye irritation Calculation Method. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects Calculation Method.
Text of Hazard Statements in Section 3	Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1: H317 - May cause an allergic skin reaction. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Repr. 2: H361 - Suspected of damaging fertility or the unborn child . Flam. Liq. 3: H226 - Flammable liquid and vapour. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.