



SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Page 1/10

SUPERFINE ET FRAGRANCE DOG COLOGNE

Revision 16

Revision date 2022-11-16

Revision date 2022-11-16				
SECTION 1: Identification of	the substance/mixture and of the company/undertaking			
1.1. Product identifier				
Product name	SUPERFINE ET FRAGRANCE DOG COLOGNE			
Product code	qafs730			
1.2. Relevant identified uses of t	he substance or mixture and uses advised against			
Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC28] Perfumes, fragrances; [SU21] Consumer uses: Private households (= general public = consumers); [PC28] Perfumes, fragrances;			
Description	Designer Fragrance - An all over fragranced body spray to improve your pets appeal.			
1.3. Details of the supplier of the	safety data sheet			
Company	Superfine Manufacturing Ltd			
Address	Orchardbank Industrial Estate Forfar Angus Scotland DD8 1TD			
Web	www.superfine.co.uk			
Telephone	Tel: 01307 463538			
Fax	Fax: 01307 468505			
Email address of the competent person	nigel@superfine.co.uk			
1.4. Emergency telephone numb	per			
Emergency telephone number	01307 463538			
	8.30am to 17.00pm			
	For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice)			
	If you are a healthcare professional with an enquiry please visit www.TOXBASE.org			
SECTION 2: Hazards identif	isotion			

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC	EUH208; Flam. Liq. 3: H226; Eye Irrit. 2: H319; Aquatic Chronic 3: H412;
1272/2008	

2.2. Label elements

Revision 16 Revision date 2022-11-16

2.2. Label elements

2.2. Label elements	
Hazard pictograms	
Signal Word	Warning
Hazard Statement	EUH208 - Contains linalool, tetramethyl acetylocthydronaphthalenes, acetyl cedrene, cedrol methyl ether. May produce an allergic reaction. Flam. Liq. 3: H226 - Flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statement: Prevention	P102 - Keep out of reach of children. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Precautionary Statement: Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.
SUPPLEMENTAL HAZARD INFORMATION	Ingredients - Denatured Alcohol, Aqua, Anthemis Nobilis, Aloe Bardedensis Leaf, Citric Acid, Sodium Benzoate, Potassium Sorbate, Parfum, Linalool, Coumarin, Limonene, Citronellol, Geraniol.
	Contains - Hexamethylindanopyran, Linalool, Tetramethyl acetyloctahydronaphthalenes, 2-Ethyl-4-(2,2,3-trimethylcyclopen-3-en-1-yl)but-2-en-1-ol, Acetyl hexamethyl tetralin, cedrol methyl ether, methyl cedryl ketone.
2.3. Other hazards	
Othershamed	The late of the state of the party of the state of the st

Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The substance/mixture does not contain substances with endocrine disrupting properties.
Further information	•

RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Ethanol: Ethyl Alcohol (Ethanol)		64-17-5	200-578-6	01-2119457610-43	60 - 70%	Flam. Liq. 2: H225; Eye Irrit. 2: H319;
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-h examethylindeno[5,6-c]pyran	603-212-00-7	1222-05-5	214-946-9	01-2119488227-29	0 - 0.5%	Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
3,7-Dimethylocta-1,6-dien-3-ol		78-70-6	201-134-4	01-2119474016-42	0 - 0.5%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319;
1- (2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8 -octahydronaphthalen-2-yl)ethanon e		54464-57-2	259-174-3	01-2119489989-04	0 - 0.5%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 1: H410;
2-Ethyl-4- (2,2,3-trimethylcyclopent-3-en-1-yl) but-2-en-1-ol		28219-61-6	248-908-8		0 - 0.5%	Eye Irrit. 2: H319; Aquatic Acute 1: H400; Aquatic Chronic 2: H411;
1- (5,6,7,8-tetrahydro-3,5,5,6,8,8-hexa methyl-2-naphthyl) ethan-1-one		1506-02-1	216-133-4	01-2119539433-40	0 - 0.5%	Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
8-Methoxycedrane		19870-74-7	243-384-7		0 - 0.5%	Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
1-Cedr-8-En-9-ylethanone		32388-55-9	251-020-3		0 - 0.5%	Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;

Revision 16
Revision date 2022-11-16

3.2. Mixtures	
	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran, CAS No. 1222-05-5 - M Factor (Acute/Chronic) = 1. 1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone, CAS No. 54464-57-2 -
	M Factor (Chronic) = 1. 2-Ethyl-4-(2,2,3-trimethylcyclopent-3-en-1-yl)but-2-en-1-ol, CAS No. 28219-61-6 - M Factor (Acute
	= 1.
	1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl) ethan-1-one, CAS No. 1506-02-1 - M Factor (Acute/Chronic) = 1.
	8-Methoxycedrane, CAS No. 19870-74-7 - M Factor (Acute/Chronic) = 1.
	1-Cedr-8-En-9-yl ethanone, CAS No. 32388-55-9 - M Factor (Acute/Chronic) = 1.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.	
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.	
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.	

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	High concentration of vapour in enclosed space may cause irritation, headaches and nausea. May		
	cause irritation to respiratory system.		
Eye contact	Irritating to eyes.		
Skin contact	May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin.		
Ingestion	May cause irritation to mucous membranes.		

4.3. Indication of any immediate medical attention and special treatment needed

	TREAT SYMPTOMATICALLY.		
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.		
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention		
	if irritation or symptoms persist.		
Skin contact	Seek medical attention if irritation or symptoms persist.		
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.		

General information

If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Flammable liquid. Use extinguishing measures that are appropriate to local circumstances and the
surrounding environment.

5.2. Special hazards arising from the substance or mixture

Flammable liquid and vapour.

5.3. Advice for firefighters

Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.

Further information

In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

Revision 16
Revision date 2022-11-16

6.1. Personal precautions, prote	ctive equipment and emergency procedures
	Wear suitable protective equipment. Flammable liquid. Avoid sparks, flames, heat and sources of ignition.
6.2. Environmental precautions	
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material for co	ontainment and cleaning up
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Avoid sparks, flames, heat and sources of ignition.
6.4. Reference to other sections	
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling and s	torage
7.1. Precautions for safe handling	g
	Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage,	including any incompatibilities
	Flammable liquid. Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light. Store in a well-ventilated place. Keep cool. Store in original container. Keep container tightly closed. Keep away from combustible material. Keep out of the reach of children.
7.3. Specific end use(s)	
	An all over animal body fragrance cologne spray.
Suitable packaging	
	Plastic containers.
SECTION 8: Exposure contr	ols/personal protection
8.1. Control parameters	
	Occupational exposure controls.
8.1.1. Exposure Limit Values	

Revision 16
Revision date 2022-11-16

8.1.1. Exposure Limit Values

1,7,7-Trimethylbicyclo[2.2.1]hept an-2-one	WEL 8-hr limit ppm: 2	WEL 8-hr limit mg/m3: 13
	WEL 15 min limit ppm: 3	WEL 15 min limit mg/m3: 19
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:
2,6,6-Trimethylbicyclo[3.1.1]hept	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 140
-2-ene (Alpha-Pinene)		
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 300
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:
6,6-Dimethyl-2-methylenebicyclo	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 140
[3.1.1]heptane		
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 300
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:
Ethanol: Ethyl Alcohol (Ethanol)	WEL 8-hr limit ppm: 1000	WEL 8-hr limit mg/m3: 1920
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers

2,6,6-Trimethylbicyclo[3.1.1]hept	Long-term - inhalation - Systemic 5.98 mg/m³	
-2-ene	effects	
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic 950 mg/m³	
	effects	
	Long-term - inhalation - Local 1900 mg/m³	Long-term - dermal - Systemic 343 mg/kg
	effects	effects

Exposure Pattern - General population

2,6,6-Trimethylbicyclo[3.1.1]hept	Long-term - inhalation - Systemic	1.06 mg/m³	
-2-ene	effects		
	Long-term - oral - Systemic	0.31 mg/kg	
	effects		
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic	114 mg/m³	
	effects		
	Long-term - inhalation - Local	950 mg/m³	Long-term - dermal - Systemic 206 mg/kg
	effects		effects
	Long-term - oral - Systemic	87 mg/kg	
	effects		

8.2. Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use

Revision 16 Revision date 2022-11-16

8.2. Exposure controls

appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection

8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Eye / face protection Skin protection -Handprotection Respiratory protection Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.

Rubber gloves.

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

8.2.3. Environmental exposure controls

Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid

Colour

Odour Designer Fragranced

No data available Odour threshold

> рΗ 6 - 7.8

Melting point Initial boiling point

No data available

> 23 °C

No data available

Flash point Evaporation rate No data available

Flammability (solid, gas)

No data available

Vapour pressure

No data available

Relative Vapour Density

No data available

Density / Relative Density

0.8 - 0.9 g/cm3 No data available

Partition coefficient Autoignition temperature

No data available

Viscosity

< 20 centinoise

Explosive properties

No data available

Oxidising properties

No data available

Solubility

Slightly miscible in water

9.2. Other information

Conductivity No data available Surface tension No data available Gas group No data available **Benzene Content** Not applicable. Lead content Not applicable.

VOC (Volatile organic

compounds)

No data available

9.2.1. Information with regard to physical hazard classes

No data is available on this product.

9.2.2. Other safety characteristics

No data is available on this product.

SECTION 10: Stability and reactivity

10.1. Reactivity

Revision 16
Revision date 2022-11-16

	Revision date 2022-11-16
10.1. Reactivity	
	Flammable liquid. Stable under normal conditions.
10.2. Chemical stability	<u>'</u>
	Flammable liquid. Stable under normal conditions.
40.2 Dessibility of homordous re	•
10.3. Possibility of hazardous re	
	Oxidising agents. Combustible materials.
10.4. Conditions to avoid	,
	Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light.
10.5. Incompatible materials	
	Oxidising agents.
10.6. Hazardous decomposition	products
	No Hazardous decomposition products when stored and handled correctly.
SECTION 11: Toxicological	
11.1 Information on hazard clas	ses
	This mixture has not been tested as a whole for health effects. The health effects have been
	calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).
Acute toxicity	based on available data the classification criteria are not met. Oral ATE = >10,000 mg/kg.
	Inhalation - Dust.Mist ATE = >10,000 mg/l.
Skin corrosion/irritation	based on available data the classification criteria are not met.
Serious eye damage/irritation	Eye Irrit. 2: H319 - Causes serious eye irritation.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
Repeated or prolonged	based on available data the classification criteria are not met.
exposure	
11.1.2. Mixtures	T
	No data available.
11.1.3. Hazard Information	
	No data available.
11.1.4. Toxicological Information	1
2,6,6-Trimethylbicyclo[3.1.1]hept -2-ene	Oral Rat LD50: 3500 mg/kg
6,6-Dimethyl-2-methylenebicyclo [3.1.1]heptane	Dermal Rat LD50: 133848.9mg/kg
Ethanol: Ethyl Alcohol	Oral Rat LD50: 10470.0 mg/kg Dermal Rabbit LD50: 15800.0 mg/kg
	Inhalation Rat LC50/4 h: 20 mg/l
11.2 Information on other hazare	de .
11.2 IIIIOIIIIQUOII OII UUIGI IIdZali	
	No data is available on this product.

SECTION 12: Ecological information

Revision 16
Revision date 2022-11-16

12.1. Toxicity

12.1. Toxicity	
Ethanol: Ethyl Alcohol	Daphnia EC50/48h: 12340.0000 mg/l Algae EC50/72h: 275 mg/l
	Green Algae EC50/48h: >100mg/l Fathead minnows LC50/96h: 14200 mg/l
	Rainbow trout LC50/96h: 13000 mg/l Golden orfe LC50/48h: >100 mg/l
	NOEC / EC10 for marine or 9.6000 mg/l
	freshwater organisms
2.2. Persistence and degradab	oility
	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD
	guide lines.
2.3. Bioaccumulative potential	
	<u></u>
	The product is not bioaccumulating.
Partition coefficient	
	SUPERFINE ET FRAGRANCE No data available Ethanol: Ethyl Alcohol -0.35 log P DOG COLOGNE
12.4. Mobility in soil	
12.4. Wobility III 30II	This product is soluble in water.
IO.S. Describe of DDT and a D. D.	-
12.5. Results of PBT and vPvB	
	This substance/mixture is not classified as PBT or vPvB according to current criteria.
2.6 Endocrine disrupting prope	erties
	No data is available on this product.
12.7. Other adverse effects	
	No data is available on this product.
SECTION 13: Disposal cons	siderations
13.1. Waste treatment methods	
	Dispose of waste and residues in accordance with local authority requirements.
General information	<u> </u>
	Dispose of in compliance with all local and national requirements.
Disposal of packaging	1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in
	compliance with local and national regulations.
SECTION 14: Transport info	prmation
Hazard pictograms	
9	
	3
14.1. UN number	1
	UN1170
14.2. UN proper shipping name	1
1-1-2. Ott proper shipping hame	
	ETHYL ALCOHOL SOLUTION

14.3. Transport hazard class(es)

Revision 16
Revision date 2022-11-16

	Nevision date 2022-11-10
14.3. Transport hazard class(es))
ADR/RID	3
Subsidiary risk] -
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-
14.4. Packing group	
Packing group	III
14.5. Environmental hazards	
Environmental hazards	No
Marine pollutant	No
14.6. Special precautions for use	er
	No additional special precautions.
14.7 Maritime Transport in bulk a	according to IMO instruments
	Not applicable.
ADR/RID	
Hazard ID	30
Tunnel Category	(D/E)
IMDG	
EmS Code	F-E S-D
IATA	
Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction (Passenger)	355
Maximum quantity	60 L
SECTION 45: Dogwiston, inf	io manadia m

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regul	ations
-------	--------

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No information available.

Revision 16

Revision date 2022-11-16

SECTION 16: Other information

Other information

This document differs from the previous version in the following areas:. 2 - Other hazards. 2 - Further information. 2 - SUPPLEMENTAL HAZARD INFORMATION. 3 - 3.2. Mixtures. 9 - 9.2.2. Other safety characteristics.
2 - Further information. 2 - SUPPLEMENTAL HAZARD INFORMATION. 3 - 3.2. Mixtures. 9 - 9.2.2. Other safety characteristics.
2 - SUPPLEMENTAL HAZARD INFORMATION. 3 - 3.2. Mixtures. 9 - 9.2.2. Other safety characteristics.
3 - 3.2. Mixtures.9 - 9.2.2. Other safety characteristics.
9 - 9.2.2. Other safety characteristics.
•
O O O A Information with an analytical beautiful beautif
9 - 9.2.1. Information with regard to physical hazard classes.
11 - Acute toxicity.
11 - Repeated or prolonged exposure.
11 - 11.2 Information on other hazards.
12 - 12.1. Toxicity.
12 - 12.6 Endocrine disrupting properties.
12 - 12.7. Other adverse effects.
15 - Regulations.
Classification and Procedure used to derive the classification for mixtures according to Regulation
(EC) No. 1272/2008, as retained and amended in UK law.
Flam. Liq. 3: H226 - Flammable liquid and vapour Flash Point - 23 degC.
Eye Irrit. 2: H319 - Causes serious eye irritation Calculation Method.
Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects Calculation Method.
Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
Eye Irrit. 2: H319 - Causes serious eye irritation.
Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
Skin Irrit. 2: H315 - Causes skin irritation.
Skin Sens. 1: H317 - May cause an allergic skin reaction.
Aquatic Acute 1: H400 - Very toxic to aquatic life.
Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
Acute Tox. 4: H302 - Harmful if swallowed.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.