



# SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Page 1/10

# **Tailien Dog Cologne**

**Revision** 10

	Revision date 2022-11-1				
SECTION 1: Identification of	the substance/mixture and of the company/undertaking				
1.1. Product identifier					
Product name	Tailien Dog Cologne				
Product code	QAFS771				
1.2. Relevant identified uses of t	he substance or mixture and uses advised against				
Product Use	[SU21] Consumer uses: Private households (= general public = consumers); [PC28] Perfumes, fragrances; [SU22] Professional uses: Public domain (administration, education, entertainment, services,				
	craftsmen); [PC28] Perfumes, fragrances;				
Description	Designer Fragrance - An all over fragranced body spray to improve your pets appeal.				
1.3. Details of the supplier of the	safety data sheet				
Company	Superfine Manufacturing Ltd				
Address	Orchardbank Industrial Estate				
	Forfar				
	Angus Scotland				
	DD8 1TD				
Web	www.superfine.co.uk				
Telephone	Tel: 01307 463538				
Fax	Fax: 01307 468505				
Email address of the competent person	nigel@superfine.co.uk				
1.4. Emergency telephone numb	per				
E	0.4007, 400500				

Emergency telephone number	01307 463538
	8.30am to 17.00pm
	For medical advice or information you should contact your GP or NHS 111 (or NHS

Scotland) on 111 (for 24 hour health advice)

If you are a healthcare professional with an enquiry please visit www.TOXBASE.org

# SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

2.1.2. Classification - EC	EUH208; Flam. Liq. 3: H226; Eye Irrit. 2: H319; Aquatic Chronic 3: H412;
1272/2008	
	'

# 2.2. Label elements

Revision 10 Revision date 2022-11-17

### 2.2. Label elements

Z.Z. Laber elements	
Hazard pictograms	
Signal Word	Warning
Hazard Statement	EUH208 - Contains benzyl salicylate, hexyl salicylate, tetramethyl acetyloctanaphthalenes. May produce an allergic reaction. Flam. Liq. 3: H226 - Flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statement:	P102 - Keep out of reach of children.
Prevention	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Precautionary Statement:	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
Response	lenses, if present and easy to do. Continue rinsing.
5 " 011 1	P337+P313 - If eye irritation persists: Get medical advice/attention.
Precautionary Statement: Storage	P403+P235 - Store in a well-ventilated place. Keep cool.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved disposal site, in accordance with local regulations.
SUPPLEMENTAL HAZARD INFORMATION	Ingredients - Denatured Ethanol, Aqua, Aloe Barbadensis Leaf, Citric Acid, Sodium Benzoate, Potassium Sorbate, Anthemis Nobilis, Parfum, Benzyl Salicylate, Coumarin, Alpha-Isomethyl ionone, Geraniol, Benzyl Alcohol, Citronellol, Linalool, Limonene.
	Contains - Denatured Alcohol, Benzyl Salicylate, Oxacyclohexadecen-2-one, Tetramethyl acetyloctahydronaphthalenes, Hexyl Salicylate.
2.3. Other hazards	
Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The substance/mixture does not contain substances with endocrine disrupting properties.
Further information	
	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

# SECTION 3: Composition/information on ingredients

# 3.2. Mixtures

### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Ethanol: Ethyl Alcohol (Ethanol)		64-17-5	200-578-6	01-2119457610-43	60 - 70%	Flam. Liq. 2: H225; Eye Irrit. 2: H319;
Benzyl salicylate		118-58-1	204-262-9		0 - 0.5%	Skin Sens. 1: H317; Aquatic Chronic 3: H412;
E-Oxacyclohexadec-12(+13) -en-2-one		111879-80-2	422-320-3	01-0000016883-62	0 - 0.5%	Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
1- (2,3,8,8-Tetramethyl-1,2,3,4,5,6,7, -octahydronaphthalen-2-yl)ethanor		54464-57-2	259-174-3	01-2119489989-04	0 - 0.5%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 1: H410;
e Hexyl Salicylate		6259-76-3	228-408-6	01-2119638275-36	0 - 0.5%	Skin Sens. 1: H317; Repr. 2: H361; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;

E-Oxacyclohexadec-12(+13)-ene-2-one, CAS No. 111879-80-2 - M Factor (Acute/Chronic) = 1. Hexyl Salicylate, CAS No. 6259-76-3 - M Factor (Acute/Chronic) = 1. 1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone, CAS No. 54464-57-2 - M Factor (Chronic) = 1.

Revision 10 Revision date 2022-11-17

	Revision date 2022-11-17
SECTION 4: First aid measu	res
4.1. Description of first aid meas	sures
Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.
4.2. Most important symptoms a	nd effects, both acute and delayed
Inhalation	High concentration of vapour in enclosed space may cause irritation, headaches and nausea. May cause irritation to respiratory system.
Eye contact	Irritating to eyes.
Skin contact	May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin.
Ingestion	May cause irritation to mucous membranes.
4.3. Indication of any immediate	medical attention and special treatment needed
	TREAT SYMPTOMATICALLY.
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting me	asures
5.1. Extinguishing media	
O. F. Extingularing modic	Flammable liquid. Use extinguishing measures that are appropriate to local circumstances and the
	surrounding environment.
5.2. Special hazards arising from	
one opening non-	Flammable liquid and vapour.
5.3. Advice for firefighters	Thammable liquid and vapour.
3.3. Advice for illelighters	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
Further information	1
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental relea	ase measures
	ctive equipment and emergency procedures
,,,,	Wear suitable protective equipment. Flammable liquid. Avoid sparks, flames, heat and sources of ignition.
6.2. Environmental precautions	1 9
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material for co	
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Avoid sparks, flames, heat and sources of ignition.
6.4. Reference to other sections	
	See section 2, 7, 8, 13 for further information.

Revision 10
Revision date 2022-11-17

# 

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Occupational exposure controls.

Plastic containers

# 8.1.1. Exposure Limit Values

1-	WEL 8-hr limit ppm: 50	WEL 8-hr limit mg/m3: 308
(3-Methoxypropoxy)propan-1-ol ((2-methoxymethylethoxy)		
propanol)		
· · · /	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
2,6,6-Trimethylbicyclo[3.1.1]hept	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 140
-2-ene (Alpha-Pinene)		
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 300
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:
Ethanol: Ethyl Alcohol (Ethanol)	WEL 8-hr limit ppm: 1000	<b>WEL 8-hr limit mg/m3</b> : 1920
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

# **Exposure Pattern - Workers**

1-	Long-term - inhalation - Systemic	308 mg/kg		
(3-Methoxypropoxy)propan-1-ol	effects			
	Long-term - dermal - Systemic	283 mg/kg		
	effects			
2,6,6-Trimethylbicyclo[3.1.1]hept	Long-term - inhalation - Systemic	5.98 mg/m³		
-2-ene	effects			
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic	950 mg/m³		
	effects			
	Long-term - inhalation - Local	1900 mg/m³	Long-term - dermal - Systemic 3	343 mg/kg
	effects		effects	

Revision 10
Revision date 2022-11-17

#### **Exposure Pattern - General population**

1-	Long-term - inhalation - Systemic	37.2 mg/m³	
(3-Methoxypropoxy)propan-1-ol	effects		
	Long-term - dermal - Systemic	121 mg/kg	Long-term - oral - Systemic effects 36 mg/kg
	effects		
2,6,6-Trimethylbicyclo[3.1.1]hept	Long-term - inhalation - Systemic	1.06 mg/m <sup>3</sup>	
-2-ene	effects		
	Long-term - oral - Systemic	0.31 mg/kg	
	effects		
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic	114 mg/m³	
	effects		
	Long-term - inhalation - Local	950 mg/m <sup>3</sup>	Long-term - dermal - Systemic 206 mg/kg
	effects		effects
	Long-term - oral - Systemic	87 mg/kg	
	effects		

# 8.2. Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

# 8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

# Eye / face protection Skin protection -

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.

Skin protection -Handprotection Respiratory protection Rubber gloves.

9.2.2 Environmental evaceur

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

8.2.3. Environmental exposure controls

Prevent further leakage or spillage if safe to do so.

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Revision 10 Revision date 2022-11-17

# 9.1. Information on basic physical and chemical properties

Appearance Liquid Colour Clear Odour Designer Fragranced No data available Odour threshold 6 - 7.8 pН Melting point Not applicable. Initial boiling point No data available Flash point 23 °C Evaporation rate No data available Flammability (solid, gas) No data available Vapour pressure No data available **Relative Vapour Density** No data available Density / Relative Density 0.8 - 0.9 g/cm3 Partition coefficient No data available Autoignition temperature No data available Viscosity < 20 centipoise Explosive properties No data available Oxidising properties No data available Solubility Slightly miscible in water

#### 9.2. Other information

Conductivity
Surface tension
Gas group
Benzene Content
Lead content
VOC (Volatile organic compounds)
No data available
Not applicable.
Not applicable.

### 9.2.1. Information with regard to physical hazard classes

No data is available on this product.

### 9.2.2. Other safety characteristics

No data is available on this product.

# SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Flammable liquid. Stable under normal conditions.

# 10.2. Chemical stability

Flammable liquid. Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

Oxidising agents. Combustible materials.

# 10.4. Conditions to avoid

Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light.

# 10.5. Incompatible materials

Oxidising agents.

# 10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly.

Revision 10
Revision date 2022-11-17

# SECTION 11: Toxicological information

#### 11.1 Information on hazard classes

	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).
Acute toxicity	based on available data the classification criteria are not met.
	Oral ATE = >10,000 mg/kg. Inhalation - Dust/Mist ATE = >2,000 mg/l.
Skin corrosion/irritation	based on available data the classification criteria are not met.
Serious eye damage/irritation	Eye Irrit. 2: H319 - Causes serious eye irritation.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
Repeated or prolonged	based on available data the classification criteria are not met.
exposure	
11.1.2. Mixtures	

No data available.

#### 11.1.3. Hazard Information

No data available.

# 11.1.4. Toxicological Information

1-	Oral Rat LD50: 5000.0	Dermal Rabbit LD50: 9510.0
(3-Methoxypropoxy)propan-1-ol		
	Inhalation Rat LC50/4 h: 3.35	
2,6,6-Trimethylbicyclo[3.1.1]hept	Oral Rat LD50: 3500 mg/kg	
-2-ene		
Ethanol: Ethyl Alcohol	Oral Rat LD50: 10470.0 mg/kg	Dermal Rabbit LD50: 15800.0 mg/kg
	Inhalation Rat LC50/4 h: 20 mg/l	

# 11.2 Information on other hazards

No data is available on this product.

# SECTION 12: Ecological information

# 12.1. Toxicity

1-	Daphnia EC50/48h:	1919.0000 mg/l	Fish LC50/96h:	10000.0000 mg/l
(3-Methoxypropoxy)propan-1-ol				
	Algae EC50/72h:	6999		
	NOEC / EC10 for marine or	0.5 mg/l		
	freshwater organisms			
Ethanol: Ethyl Alcohol	Daphnia EC50/48h:	12340.0000 mg/l	Algae EC50/72h:	275 mg/l
	Green Algae EC50/48h:	>100mg/l	Fathead minnows LC50/96h:	14200 mg/l
	Rainbow trout LC50/96h:	13000 mg/l	Golden orfe LC50/48h:	>100 mg/l
	NOEC / EC10 for marine or	9.6000 mg/l		
	freshwater organisms			

### 12.2. Persistence and degradability

Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.

Revision 10 Revision date 2022-11-17

	Revision date 2022-11-17	
12.3. Bioaccumulative potential		
	The product is not bioaccumulating.	
Partition coefficient		
	Tailien Dog Cologne No data available Ethanol: Ethyl Alcohol -0.35 log P	
	1-(3-Methoxypropoxy)propan-1-ol 1.01	
12.4. Mobility in soil		
	This product is soluble in water.	
12.5. Results of PBT and vPvB	assessment	
	This substance/mixture is not classified as PBT or vPvB according to current criteria.	
12.6 Endocrine disrupting prope	rties	
	No data is available on this product.	
12.7. Other adverse effects		
	No data is available on this product.	
SECTION 13: Disposal cons	iderations	
SECTION 13: Disposal considerations		
13.1. Waste treatment methods	T	
	Dispose of waste and residues in accordance with local authority requirements.	
General information		
	Dispose of in compliance with all local and national requirements.	
Disposal of packaging		
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in	
	compliance with local and national regulations.	
SECTION 14: Transport info	rmation	
Hazard pictograms		
	3	
14.1. UN number	<u>'</u>	
	UN1170	
14.2. UN proper shipping name	1 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
14.2. Olypropor ompping hamo	ETHYL ALCOHOL SOLUTION	
14.3. Transport hazard class(es	ı	
ADR/RID Subsidiary risk	] 3	
IMDG	3	
Subsidiary risk	1 -	
IATA	3	
Subsidiary risk	-	
14.4. Packing group		
Packing group		
14.5. Environmental hazards	1	
or =ormornar nazardo		

Revision 10 Revision date 2022-11-17

44 F. Carriero montal harranda		
14.5. Environmental hazards		
Environmental hazards	No	
Marine pollutant	No	
14.6. Special precautions for user		
	No additional special precautions.	
14.7 Maritime Transport in bulk according to IMO instruments		
	Not applicable.	
ADR/RID		
Hazard ID	30	
Tunnel Category	(D/E)	
IMDG		
EmS Code	F-E S-D	
IATA		
Packing Instruction (Cargo)	366	
Maximum quantity	220 L	
Packing Instruction	355	
(Passenger)		
Maximum quantity	60 L	

# SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

# 15.2. Chemical safety assessment

No information available

# **SECTION 16: Other information**

#### Other information

**Revision**This document differs from the previous version in the following areas:.

- 2 Other hazards.
- 2 Further information.
- 2 SUPPLEMENTAL HAZARD INFORMATION.
- 3 3.2. Mixtures.
- 9 9.2.2. Other safety characteristics.
- 9 9.2.1. Information with regard to physical hazard classes.
- 11 Acute toxicity.

Revision 10 Revision date 2022-11-17

Other information	
	11 - 11.2 Information on other hazards. 12 - 12.1. Toxicity. 12 - 12.6 Endocrine disrupting properties. 12 - 12.7. Other adverse effects. 15 - Regulations.
Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008, as retained and amended in UK law. Flam. Liq. 3: H226 - Flammable liquid and vapour Flash Point - 23 degC. Eye Irrit. 2: H319 - Causes serious eye irritation Calculation Method. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects Calculation Method.
Text of Hazard Statements in Section 3	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.  Eye Irrit. 2: H319 - Causes serious eye irritation.  Skin Sens. 1: H317 - May cause an allergic skin reaction.  Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.  Aquatic Acute 1: H400 - Very toxic to aquatic life.  Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.  Skin Irrit. 2: H315 - Causes skin irritation.  Repr. 2: H361 - Suspected of damaging fertility or the unborn child.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.