



SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Page 1/9

Top Breed Dog Cologne

Revision 7
Revision date 2022-11-21

	Revision date 2022-11-21
SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Top Breed Dog Cologne
Product code	QAFS825
1.2. Relevant identified uses of t	he substance or mixture and uses advised against
Product Use	[SU21] Consumer uses: Private households (= general public = consumers); [PC28] Perfumes, fragrances;
	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC28] Perfumes, fragrances;
Description	An all over animal body fragrance cologne spray.
1.3. Details of the supplier of the	safety data sheet
Company	Superfine Manufacturing Ltd
Address	Orchardbank Industrial Estate Forfar Angus Scotland DD8 1TD
Web	www.superfine.co.uk
Telephone	Tel: 01307 463538
Fax	Fax: 01307 468505
Email address of the competent person	nigel@superfine.co.uk
1.4. Emergency telephone numb	per
Emergency telephone number	01307 463538
	8.30am to 17.00pm
	For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice)
	If you are a healthcare professional with an enquiry please visit www.TOXBASE.org
SECTION 2: Homordo identifi	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC	EUH208; Flam. Liq. 3: H226; Eye Irrit. 2: H319; Aquatic Chronic 3: H412;
1272/2008	

2.2. Label elements

Revision 7 Revision date 2022-11-21

2.2. Label elements

Hazard pictograms	
Signal Word	Warning
Hazard Statement	EUH208 - Contains tetramethyl acetyloctahydronaphthalenes, linalyl acetate, limonene, linalool. May produce an allergic reaction. Flam. Liq. 3: H226 - Flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statement: Prevention	P102 - Keep out of reach of children. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Precautionary Statement: Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.
Precautionary Statement: Storage	P403+P235 - Store in a well-ventilated place. Keep cool.
SUPPLEMENTAL HAZARD INFORMATION	Ingredients - Denatured Alcohol, Aqua, Aloe Barbedensis Leaf Juice, Citric Acid, Sodium Benzoate, Potassium Sorbate, Anthemis Nobilis, Parfum, Linalool, Limonene, Citral.
	Contains - Denatured Alcohol, Tetramethyl acetyloctahydronaphthalenes, Linalyl acetate, Omega-pentadecalactone, Limonene, Linalool, Oxacyclohexadecen-2-one.
2.3. Other hazards	
Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The substance/mixture does not contain substances with endocrine disrupting properties.
Further information	
	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Ethanol: Ethyl Alcohol (Ethanol)		64-17-5	200-578-6	01-2119457610-43	60 - 70%	Flam. Liq. 2: H225; Eye Irrit. 2: H319;
1- (2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8 -octahydronaphthalen-2-yl)ethanon e		54464-57-2	259-174-3	01-2119489989-04	0 - 0.5%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 1: H410;
1,5-Dimethyl-1-vinylhex-4-en-1-yl acetate		115-95-7	204-116-4	01-2119454789-19	0 - 0.5%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319;
Oxacyclohexadecan-2-one		106-02-5	203-354-6	01-2119987323-31	0 - 0.5%	Skin Sens. 1: H317; Aquatic Chronic 2: H411;
D-Limonene	601-029-00-7	5989-27-5	227-813-5		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
3,7-Dimethylocta-1,6-dien-3-ol		78-70-6	201-134-4	01-2119474016-42	0 - 0.5%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319;
E-Oxacyclohexadec-12(+13) -en-2-one		111879-80-2	422-320-3	01-0000016883-62	0 - 0.5%	Aquatic Acute 1: H400; Aquatic Chronic 1: H410;

1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone, CAS No. 54464-57-2 - M Factor (Chronic) = 1.

Revision 7 Revision date 2022-11-21

3.2. Mixtures	
3.2. WIXLUIES	D.Limonono, CAS No. 5090 27 5. M.Egotor (Aguto/Chronic) = 1
	D-Limonene, CAS No. 5989-27-5 - M Factor (Acute/Chronic) = 1. E-Oxacyclohexadec-12(+13)-ene-2-one, CAS No. 111879-80-2 - M Factor (Acute/Chronic) = 1.
SECTION 4: First aid mea	asures
4.1. Description of first aid me	easures
Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.
4.2. Most important symptom	s and effects, both acute and delayed
Inhalation	High concentration of vapour in enclosed space may cause irritation, headaches and nausea. May cause irritation to respiratory system.
Eye contact	May cause irritation to eyes.
Skin contact	May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin.
Ingestion	May cause irritation to mucous membranes.
4.3. Indication of any immedia	ate medical attention and special treatment needed
,	TREAT SYMPTOMATICALLY.
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention
Lyo contact	if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting n	
5.1. Extinguishing media	
Ţ Ţ	Flammable liquid. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
5.2. Special hazards arising for	rom the substance or mixture
	Flammable Liquid and vapour.
5.3. Advice for firefighters	·
-	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental re	elease measures
6.1. Personal precautions, pre	otective equipment and emergency procedures
	Wear suitable protective equipment. Flammable liquid. Avoid sparks, flames, heat and sources of ignition.
6.2. Environmental precaution	ns
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material for	r containment and cleaning up
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for
	7.55.5 mort, absorbort material. Ottoop up. Transfer to ballable, labelled bollalliers for

Revision 7
Revision date 2022-11-21

6.3. Methods and material for containment and cleaning up

disposal. Avoid sparks, flames, heat and sources of ignition.

6.4. Reference to other sections

See section 2, 7, 8, 13 for further information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Adopt best Manual Handling considerations when handling, carrying and dispensing.

7.2. Conditions for safe storage, including any incompatibilities

Flammable liquid. Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light. Store in a well-ventilated place. Keep cool. Store in original container. Keep container tightly closed. Keep away from combustible material. Keep out of the reach of children.

7.3. Specific end use(s)

An all over animal body fragrance cologne spray.

Suitable packaging

Plastic containers

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure controls.

8.1.1. Exposure Limit Values

2,6,6-Trimethylbicyclo[3.1.1]hept	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 140
-2-ene (Alpha-Pinene)	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 300
	WEL 8-hr limit mg/m3 total inhalable dust:	WEL 15 min limit mg/m3 total inhalable dust:
	WEL 8-hr limit mg/m3 total respirable dust:	WEL 15 min limit mg/m3 total respirable dust:
6,6-Dimethyl-2-methylenebicyclo [3.1.1]heptane	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 140
()	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 300
	WEL 8-hr limit mg/m3 total inhalable dust: WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total inhalable dust: WEL 15 min limit mg/m3 total
Ethanol: Ethyl Alcohol (Ethanol)	respirable dust: WEL 8-hr limit ppm: 1000	respirable dust: WEL 8-hr limit mg/m3: 1920
Eulanoi. Euryi Alconoi (Eulanoi)	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers

2,6,6-Trimethylbicyclo[3.1.1]hept	Long-term - inhalation - Systemic 5.98 mg/m³	
-2-ene	effects	
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic 950 mg/m³	
	effects	
	Long-term - inhalation - Local 1900 mg/m³	Long-term - dermal - Systemic 343 mg/kg
	effects	effects

Revision 7
Revision date 2022-11-21

Exposure Pattern - General population

2,6,6-Trimethylbicyclo[3.1.1]hept	Long-term - inhalation - Systemic	1.06 mg/m³	
-2-ene	effects		
	Long-term - oral - Systemic	0.31 mg/kg	
	effects		
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic	114 mg/m³	
	effects		
	Long-term - inhalation - Local	950 mg/m³	Long-term - dermal - Systemic 206 mg/kg
	effects		effects
	Long-term - oral - Systemic	87 mg/kg	
	effects		

8.2. Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Eye / face protection
Skin protection -

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.

Rubber gloves.

Handprotection
Respiratory protection

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

8.2.3. Environmental exposure controls

Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Clear
Odour	Designer Fragranced
Odour threshold	No data available
pH	5.7 - 9
Melting point	No data available
Initial boiling point	No data available
Flash point	23 °C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Relative Vapour Density	No data available
Density / Relative Density	0.8 - 0.9
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 20 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

Revision 7
Revision date 2022-11-21

9.2. Other information

Conductivity
Surface tension
Gas group
Benzene Content
Lead content
VOC (Volatile organic compounds)
No data available
No data available
No data available

9.2.1. Information with regard to physical hazard classes

No data is available on this product.

9.2.2. Other safety characteristics

No data is available on this product.

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid. Stable under normal conditions.

10.2. Chemical stability

Flammable liquid. Stable under normal conditions.

10.3. Possibility of hazardous reactions

Oxidising agents. Combustible materials.

10.4. Conditions to avoid

Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light.

10.5. Incompatible materials

Oxidising agents.

No data available.

10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly.

SECTION 11: Toxicological information

11.1 Information on hazard classes

	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).
Acute toxicity	based on available data the classification criteria are not met. Oral ATE = >10,000 mg/kg.
Skin corrosion/irritation	based on available data the classification criteria are not met.
Serious eye damage/irritation	H319 - Causes serious eye irritation.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
Repeated or prolonged exposure	based on available data the classification criteria are not met.
11.1.2. Mixtures	

Revision 7 Revision date 2022-11-21

		Revision date 2022-11-2
11.1.3. Hazard Information		
	No data available.	
11.1.4. Toxicological Information	n	
2,6,6-Trimethylbicyclo[3.1.1]hept -2-ene	Oral Rat LD50: 3500 mg/kg	
6,6-Dimethyl-2-methylenebicyclo [3.1.1]heptane	Dermal Rat LD50: 133848.9mg/kg	Oral Rat LD50: 37287.23mg/kg
Ethanol: Ethyl Alcohol	Oral Rat LD50: 10470.0 mg/kg Inhalation Rat LC50/4 h: 20 mg/l	Dermal Rabbit LD50: 15800.0 mg/kg
11.2 Information on other hazar		
11.2 Information on other nazar	1	
	No data is available on this product.	
SECTION 12: Ecological infe	ormation	
12.1. Toxicity		
Ethanol: Ethyl Alcohol	Daphnia EC50/48h: 12340.0000 mg/l	Algae EC50/72h: 275 mg/l
	Green Algae EC50/48h: >100mg/l	Fathead minnows LC50/96h: 14200 mg/l
	Rainbow trout LC50/96h: 13000 mg/l	Golden orfe LC50/48h: >100 mg/l
	NOEC / EC10 for marine or 9.6000 mg/l freshwater organisms	
12.2. Persistence and degradab	ility	
	Substance biodegrades at a moderate rate and infiguide lines.	nerently biodegradable according to the OECD
12.3. Bioaccumulative potential		
	The product is not bioaccumulating.	
Partition coefficient		
	Top Breed Dog Cologne No data available	Ethanol: Ethyl Alcohol -0.35 log P
12.4. Mobility in soil	_	
	This product is soluble in water.	
12.5. Results of PBT and vPvB	assessment	
	This substance/mixture is not classified as PBT or	vPvB according to current criteria.
12.6 Endocrine disrupting prope	erties	
	No data is available on this product.	
12.7. Other adverse effects		
	No data is available on this product.	
SECTION 13: Disposal cons	siderations	
13.1. Waste treatment methods		
	Dispose of waste and residues in accordance with	local authority requirements.
General information		
	Dispose of in compliance with all local and nationa	Il requirements.
Disposal of packaging	-	
	Do NOT reuse empty containers. Empty containers compliance with local and national regulations.	s can be sent to landfill after cleaning, if in
SECTION 14: Transport info		

Revision 7
Revision date 2022-11-21

Hazard pictograms



14.1. UN number

UN1170

14.2. UN proper shipping name

ETHYL ALCOHOL SOLUTION

14.3. Transport hazard class(es)

ADR/RID	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-

14.4. Packing group

Packing group	III
racking group	11

14.5. Environmental hazards

Environmental hazards	
Marine pollutant	No

14.6. Special precautions for user

No additional special precautions.

14.7 Maritime Transport in bulk according to IMO instruments

Not applicable.

ADR/RID

Hazard ID	30
Tunnel Category	(D/E)

IMDG

EmS Code	F-E S-D

IATA

Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction	355
(Passenger)	
Maximum quantity	60 L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Powered by

ChemSoft EH&S

Regu	lations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

Revision 7
Revision date 2022-11-21

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

Other information	
Revision	This document differs from the previous version in the following areas:. 2 - Other hazards. 2 - Hazard pictograms. 2 - Further information. 2 - SUPPLEMENTAL HAZARD INFORMATION.
	3 - 3.2. Mixtures. 9 - 9.2.2. Other safety characteristics. 9 - 9.2.1. Information with regard to physical hazard classes. 11 - 11.2 Information on other hazards.
	12 - 12.1. Toxicity. 12 - 12.6 Endocrine disrupting properties. 12 - 12.7. Other adverse effects. 15 - Regulations.
Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008, as retained and amended in UK law. Flam. Liq. 3: H226 - Flammable liquid and vapour Flash Point - 23 degC. Eye Irrit. 2: H319 - Causes serious eye irritation Calculation Method. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects Calculation Method.
Text of Hazard Statements in Section 3	Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1: H317 - May cause an allergic skin reaction. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Flam. Liq. 3: H226 - Flammable liquid and vapour. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. Aquatic Acute 1: H400 - Very toxic to aquatic life.
Further information	•

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.