



SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Page 1/9

TOP TO TAIL SKIN & COAT CLEANSING WIPES

Revision 13

04

	Revision date 2022-11-04
SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	TOP TO TAIL SKIN & COAT CLEANSING WIPES
Product code	QAFS249
1.2. Relevant identified uses of	he substance or mixture and uses advised against
Product Use	[SU21] Consumer uses: Private households (= general public = consumers);
	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen);
Description	A hygienic moist cleansing wipe for all aspects of pet care.
1.3. Details of the supplier of the	safety data sheet
Company	Superfine Manufacturing Ltd
Address	Orchardbank Industrial Estate
	Forfar
	Angus
	Scotland
	DD8 1TD
Web	www.superfine.co.uk
Telephone	Tel: 01307 463538

1.4. Emergency telephone number

Email address of the

competent person

Fax

Emergency telephone number	01307 463538
----------------------------	--------------

8.30am to 17.00pm

Fax: 01307 468505

nigel@superfine.co.uk

For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in

Scotland) on 111 (for 24 hour health advice)

If you are a healthcare professional with an enquiry please visit www.TOXBASE.org

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC	
1272/2008	

Flam. Liq. 3: H226; Eye Irrit. 2: H319;

2.2. Label elements

Hazard pictograms





Revision 13 Revision date 2022-11-04

Signal Word	Warning
Hazard Statement	Flam. Liq. 3: H226 - Flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation.
Precautionary Statement: Prevention	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Precautionary Statement: Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.
Precautionary Statement: Storage	P403+P235 - Store in a well-ventilated place. Keep cool.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved disposal site, in accordance with local regulations.
SUPPLEMENTAL HAZARD INFORMATION	Ingredients - Aqua, Denatured Alcohol, Glycerin, Polysorbate 20, Phenoxyethanol, Butyl Parabens, Methyl Parabens, Ethyl Parabens, Propyl Parabens, PEG-75 Lanolin, Cetrimonium Bromide, Parfum, Hexyl Cinnamal, Linalool, Limonene, Benzyl Salicylate.
	Contains - Denatured Ethanol, Glycerol, Cetrimide.
2.3. Other hazards	
Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The substance/mixture does not contain substances with endocrine disrupting properties.
Further information	
	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Glycerol (Glycerol, mist)		56-81-5	200-289-5		1 - 10%	
Cetrimide		1119-97-7	214-291-9	01-2119989161-33	0 - 0.5%	Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Dam. 1: H318; STOT SE 3: H335; STOT RE 2: H373; Aquatic Acute 1: H400;
Ethanol: Ethyl Alcohol (Ethanol)		64-17-5	200-578-6	01-2119457610-43	10 - 20%	Flam. Liq. 2: H225; Eye Irrit. 2: H319;

Cetrimide, CAS No. 1119-97-7 - M Factor (Acute) = 100.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.		
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.		
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.		
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.		

4.2. Most important symptoms and effects, both acute and delayed

The most important symptoms and shoots, both assats and aslaysa				
Inhalation	High concentration of vapour in enclosed space may cause irritation, headaches and nausea. May cause irritation to respiratory system.			
Eye contact	Irritating to eyes.			
Skin contact	May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin.			
Ingestion	May cause irritation to mucous membranes.			

Revision 13

	Revision 13 Revision date 2022-11-04
4.3. Indication of any immediate	medical attention and special treatment needed
	TREAT SYMPTOMATICALLY.
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention
	if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting me	asures
5.1. Extinguishing media	
	Flammable liquid. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
5.2. Special hazards arising from	n the substance or mixture
	Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	<u> </u>
	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
Further information	<u> </u>
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental relea	ase measures
	ctive equipment and emergency procedures
	Wear suitable protective equipment. Flammable liquid. Avoid sparks, flames, heat and sources of ignition.
6.2. Environmental precautions	
·	Advise local authorities if large spills cannot be contained.
6.3. Methods and material for co	
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for
	disposal. Avoid sparks, flames, heat and sources of ignition.
6.4. Reference to other sections	
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling and s	torage
7.1. Precautions for safe handlir	
	Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage,	
	Flammable liquid. Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light. Store in a well-ventilated place. Keep cool. Store in original container. Keep container tightly closed. Keep away from combustible material. Keep out of the reach of children.
7.3. Specific end use(s)	
	A HYGIENIC moist cleansing wipe, Ideal for all aspects of pet care, especially useful for EAR CLEANSING, AROUND THE EYES AND MUZZLE and for general purpose skin cleansing. Lightly fragranced. Ideal for use around the home, when travelling at shows etc.
Suitable packaging	

Revision 13

Revision date 2022-11-04

Suitable packaging

Plastic containers.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure controls.

8.1.1. Exposure Limit Values

6,6-Dimethyl-2-methylenebicyclo [3.1.1]heptane	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 140
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 300
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:
Diethyl phthalate	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 5
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 10
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Ethanol: Ethyl Alcohol (Ethanol)	WEL 8-hr limit ppm: 1000	WEL 8-hr limit mg/m3: 1920
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Glycerol (Glycerol, mist)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 10
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers

Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic effects	950 mg/m³	
	*******	1000 mg/m³ Long town downel System	in 242 ma/ka
	Long-term - inhalation - Local	•	
	effects	effec	ets
Glycerol	Long-term - inhalation - Local	56 mg/m³	
	effects		

Exposure Pattern - General population

Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic	114 mg/m³	
	effects		
	Long-term - inhalation - Local	950 mg/m ³	Long-term - dermal - Systemic 206 mg/kg
	effects		effects
	Long-term - oral - Systemic	87 mg/kg	
	effects		
Glycerol	Long-term - inhalation - Local	33 mg/m³	
	effects		
	Long-term - oral - Systemic	229 mg/kg	
	effects		

8.2. Exposure controls

Revision 13

Revision date 2022-11-04

8.2. Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Eye / face protection Skin protection Handprotection

Respiratory protection

controls

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.

Rubber gloves.

8.2.3. Environmental exposure

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid

Colour Clear

Odour Pleasant

Odour threshold No data available

pH 6 - 7.3

Melting point

No data available

Initial boiling point N

No data available

Flash point

35 °C

Evaporation rate

No data available

Flammability (solid, gas)

No data available

Vapour pressure Relative Vapour Density No data available
No data available

Density / Relative Density

0.97 - 0.985 g/cm3

Partition coefficient

No data available

i artitudii oociiio

No data available

Autoignition temperature Viscosity

< 50 centipoise

Explosive properties

No data available

Oxidising properties

Not applicable.

Solubility

Soluble in water

9.2. Other information

Conductivity
Surface tension

No data available

Gas group

No data available No data available

Benzene Content

No data available

Lead content VOC (Volatile organic

No data available

compounds

ic No data available

9.2.1. Information with regard to physical hazard classes

Revision 13 Revision date 2022-11-04

	Nevision date 2022-11-04
9.2.1. Information with regard to	physical hazard classes
	No data is available on this product.
9.2.2. Other safety characteristic	es estate the second estate th
	No data is available on this product.
SECTION 10: Stability and re	eactivity
•	Sacrify
10.1. Reactivity	
40.0.01 1.4.1.1114	Flammable liquid. Stable under normal conditions.
10.2. Chemical stability	
	Flammable liquid. Stable under normal conditions.
10.3. Possibility of hazardous re	actions
	Oxidising agents. Combustible materials.
10.4. Conditions to avoid	
	Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light.
10.5. Incompatible materials	
	Oxidising agents.
10.6. Hazardous decomposition	products
	No Hazardous decomposition products when stored and handled correctly.
SECTION 11: Toxicological i	information
11.1 Information on hazard class	
11.1 Information on nazard diasc	This mixture has not been tested as a whole for health effects. The health effects have been
	calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).
Acute toxicity	based on available data the classification criteria are not met.
	Oral ATE = >2,000 mg/kg.
Skin corrosion/irritation	based on available data the classification criteria are not met.
Serious eye damage/irritation	Eye Irrit. 2: H319 - Causes serious eye irritation. based on available data the classification criteria are not met.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
Repeated or prolonged exposure	based on available data the classification criteria are not met.
11.1.2. Mixtures	
	No data available.
11.1.3. Hazard Information	
	No data available.
11.1.4. Toxicological Information	1
-	

Revision 13 Revision date 2022-11-04

11.1.4. Toxicological Informat	ion
--------------------------------	-----

6,6-Dimethyl-2-methylenebicyclo	Dermal Rat LD50: 133848.9mg/kg	Oral Rat LD50: 37287.23mg/kg
[3.1.1]heptane		
Ethanol: Ethyl Alcohol	Oral Rat LD50: 10470.0 mg/kg	Dermal Rabbit LD50: 15800.0 mg/kg
	Inhalation Rat LC50/4 h: 20 mg/l	
Glycerol	Oral Rat LD50: 27,200.0 mg/kg	

11.2 Information on other hazards

No data is available on this product.

SECTION 12: Ecological information

12.1. Toxicity

No data available

Ethanol: Ethyl Alcohol NOEC / EC10 for marine or 9.6000 mg/l freshwater organisms

12.2. Persistence and degradability

Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD quide lines.

12.3. Bioaccumulative potential

No data is available on this product.

Partition coefficient

TOP TO TAIL SKIN & COAT No data available	Glycerol -1.76 Log Pow
CLEANSING WIPES	
Ethanol: Ethyl Alcohol -0.35 log P	

12.4. Mobility in soil

No data is available on this product.

12.5. Results of PBT and vPvB assessment

This substance/mixture is not classified as PBT or vPvB according to current criteria.

12.6 Endocrine disrupting properties

No data is available on this product.

12.7. Other adverse effects

No data is available on this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

General information

Dispose of in compliance with all local and national requirements.

Disposal of packaging

Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.

SECTION 14: Transport information

Hazard pictograms

Revision 13

Revision date 2022-11-04

Hazard pictograms



14.1. UN number

UN1170

14.2. UN proper shipping name

ETHANOL SOLUTION

14.3. Transport hazard class(es)

ADR/RID	
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	_

14.4. Packing group

Packing gro	oup	III
i downing gro	, up	

14.5. Environmental hazards

Environmental hazards	
Marine pollutant	No

14.6. Special precautions for user

No additional special precautions.

14.7 Maritime Transport in bulk according to IMO instruments

Not applicable.

ADR/RID

Hazard ID	30
Tunnel Category	(D/E)

IMDG

FmS Code	F-F S-F

IATA

Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction	355
(Passenger)	
Maximum quantity	60 I

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Reg	ıul	lati	on	ıS
09	3	uu	U I	

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

Revision 13 Revision date 2022-11-04

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

Other information	
Revision	This document differs from the previous version in the following areas:. 2 - Other hazards. 2 - Further information. 2 - SUPPLEMENTAL HAZARD INFORMATION. 3 - 3.2. Mixtures. 5 - 5.3. Advice for firefighters. 7 - 7.3. Specific end use(s). 9 - 9.2.2. Other safety characteristics. 9 - 9.2.1. Information with regard to physical hazard classes. 10 - 10.6. Hazardous decomposition products. 11 - Acute toxicity. 11 - Repeated or prolonged exposure. 11 - 11.2 Information on other hazards. 12 - 12.1. Toxicity. 12 - 12.5. Results of PBT and vPvB assessment. 12 - 12.6 Endocrine disrupting properties.
Data sources	12 - 12.7. Other adverse effects. 15 - Regulations. Classification and Procedure used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008, as retained and amended in UK law. Flam. Liq. 3: H226 - Flammable liquid and vapour Flash Point - 35 degC. Eye Irrit. 2: H319 - Causes serious eye irritation Calculation Method.
Text of Hazard Statements in Section 3	Acute Tox. 4: H302 - Harmful if swallowed. Skin Irrit. 2: H315 - Causes skin irritation. Eye Dam. 1: H318 - Causes serious eye damage. STOT SE 3: H335 - May cause respiratory irritation. STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure. Aquatic Acute 1: H400 - Very toxic to aquatic life. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation.
Further information	

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.